


MOBKL2C 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00148932-T01 Size 100 uL

Applications



SDS-PAGE Gel

MOBKL2C transfected lysate.

Western Blot

Lane 1: MOBKL2C transfected lysate (23.87 KDa) Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-MOBKL2C full-length
Host	Human
Theoretical MW (kDa)	23.87
Quality Control Testing	Transient overexpression cell lysate was tested with Anti-MOBKL2C antibody (H00148932-B01) by Western Blots. SDS-PAGE Gel MOBKL2C transfected lysate. Western Blot Lane 1: MOBKL2C transfected lysate (23.87 KDa) Lane 2: Non-transfected lysate.



Product Information

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

• Western Blot

Gene Info — MOBKL2C

<u>148932</u>
<u>NM_201403.1</u>
<u>NP_958805.1</u>
MOBKL2C
MGC26743, MOB3C
MOB1, Mps One Binder kinase activator-like 2C (yeast)
Hyperlink
The protein encoded by this gene is similar to the yeast Mob1 protein. Yeast Mob1 binds Mps1p, a protein kinase essential for spindle pole body duplication and mitotic checkpoint regulation. Alte rnatively spliced transcript variants encoding distinct isoforms have been observed. [provided by RefSeq
MOB1, Mps One Binder kinase activator-like 2C OTTHUMP00000009682