


AMOT 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00154796-T02 Size 100 uL

Applications



SDS-PAGE Gel

AMOT transfected lysate.

Western Blot

Lane 1: AMOT transfected lysate (72.50 KDa) Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-AMOT full-length
Host	Human
Theoretical MW (kDa)	72.5
Quality Control Testing	Transient overexpression cell lysate was tested with Anti-AMOT antibody (<u>H00154796-B01</u>) by West ern Blots. SDS-PAGE Gel AMOT transfected lysate. Western Blot Lane 1: AMOT transfected lysate (72.50 KDa) Lane 2: Non-transfected lysate.



Product Information

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot

Gene Info — AMOT	
Entrez GenelD	<u>154796</u>
GeneBank Accession#	<u>NM_133265.2</u>
Protein Accession#	<u>NP_573572.1</u>
Gene Name	АМОТ
Gene Alias	KIAA1071
Gene Description	angiomotin
Omim ID	<u>300410</u>
Gene Ontology	Hyperlink
Gene Summary	This gene belongs to the motin family of angiostatin binding proteins characterized by conserved coiled-coil domains and C-terminal PDZ binding motifs. The encoded protein is expressed predo minantly in endothelial cells of capillaries as well as larger vessels of the placenta where it may m ediate the inhibitory effect of angiostatin on tube formation and the migration of endothelial cells to ward growth factors during the formation of new blood vessels. Alternative splicing results in multi ple transcript variants encoding different isoforms. [provided by RefSeq
Other Designations	OTTHUMP0000023866 angiomotin p130 isoform angiomotin p80 isoform

Disease

- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Edema