


Full-Length

## APOBEC3F (Human) Recombinant Protein (P01)

Catalog # H00200316-P01 Size 25 ug, 10 ug

## **Applications**



Specification	
Product Description	Human APOBEC3F full-length ORF ( NP_001006667.1, 1 a.a 101 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	MKPHFRNTVERMYRDTFSYNFYNRPILSRRNTVWLCYEVKTKGPSRPRLDAKIFRGQVPRSFIRAP FQVLSSPFGQCAPPHGTAQVQWPPQLTAGREQGRP
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	38.2
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.



## **Applications**

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — APOBEC3F	
Entrez GenelD	200316
GeneBank Accession#	NM_001006666.1
Protein Accession#	NP_001006667.1
Gene Name	APOBEC3F
Gene Alias	ARP8, BK150C2.4.MRNA, KA6, MGC74891
Gene Description	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3F
Omim ID	608993
Gene Ontology	Hyperlink
Gene Summary	This gene is a member of the cytidine deaminase gene family. It is one of seven related genes or pseudogenes found in a cluster, thought to result from gene duplication, on chromosome 22. Mem bers of the cluster encode proteins that are structurally and functionally related to the C to U RNA-editing cytidine deaminase APOBEC1. It is thought that the proteins may be RNA editing enzyme s and have roles in growth or cell cycle control. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq
Other Designations	induced upon T-cell activation

## Pathway

Atrazine degradation