


MaxPab®

FOXD4L1 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00200350-B01P Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of FOXD4L1 expression in transfected 293T cell line (<u>H00200350-T01</u>) by FOXD4L1 MaxPab polyclonal antibody.

Lane 1: FOXD4L1 transfected lysate(44.88 KDa).

Lane 2: Non-transfected lysate.

Specification	
Product Description	Mouse polyclonal antibody raised against a full-length human FOXD4L1 protein.
Immunogen	FOXD4L1 (AAl53202.1, 1 a.a. ~ 408 a.a) full-length human protein.
Sequence	MNLPRAERPRSTPQRSLRDSDGEDGKIDVLGEEEDEDEVEDEEEEASQKFLEQSLQPGLQVAR WGGVALPREHIEGGGPSDPSEFGTEFRAPPRSAAASEDARQPAKPPYSYALITMAILQSPHKRLT LSGICAFISGRFPYYRRKFPAWQNSIRHNLSLNDCFVKIPREPGHPGKGTYWSLDPASQDMFDNG SFLRRRKRFKRHQLTPGAHLPHPFPLPAAHAALHNPRPGPLLGAPALPQPVPGAYPNTAPGRRP YALLHPHPPRYLLLSAPAYAGAPKKAEGADLATPGTLPVLQPSLGPQPWEEGKGLASPPGGGCI SFSIESIMQGVRGAGTGAAQSLSPTAWSYCPLLQRPSSLSDNFAATAAASGGGLRQRLRSHQGR GAGRAPVGRVGAAAVSGGGRGL
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Applications

Western Blot (Transfected lysate)

Western Blot analysis of FOXD4L1 expression in transfected 293T cell line (<u>H00200350-T01</u>) by FOXD4L1 MaxPab polyclonal antibody.

Lane 1: FOXD4L1 transfected lysate(44.88 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

Gene Info — FOXD4L1	
Entrez GenelD	<u>200350</u>
GeneBank Accession#	BC153201.1
Protein Accession#	AAI53202.1
Gene Name	FOXD4L1
Gene Alias	FOXD5, bA395L14.1
Gene Description	forkhead box D4-like 1
Omim ID	<u>611084</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene is a member of the forkhead/winged-helix (FOX) family of transcription factors with high ly conserved FOX DNA-binding domains. Members of the FOX family of transcription factors are regulators of embryogenesis and may play a role in human cancer. This gene lies in a region of ch romosome 2 that surrounds the site where two ancestral chromosomes fused to form human chro mosome 2. This region is duplicated elsewhere in the human genome, primarily in subtelomeric a nd pericentromeric locations, thus mutiple copies of this gene have been found. [provided by Ref Seq
Other Designations	forkhead box D4 like 1