


TICAM2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00353376-T02


Size 100 uL

Applications



SDS-PAGE Gel

TICAM2 transfected lysate.



Western Blot

Lane 1: TICAM2 transfected lysate (26.90 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-TICAM2 full-length

Host Human

Theoretical MW (kDa) 26.9

Quality Control Testing Transient overexpression cell lysate was tested with Anti-TICAM2 antibody ([H00353376-B01](#)) by Western Blots.
SDS-PAGE Gel
TICAM2 transfected lysate.
Western Blot
Lane 1: TICAM2 transfected lysate (26.90 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — TICAM2

Entrez GeneID

[353376](#)

GeneBank Accession#

[NM_021649](#)

Protein Accession#

[NP_067681.1](#)

Gene Name

TICAM2

Gene Alias

MGC129876, MGC129877, TICAM-2, TIRAP3, TIRP, TRAM

Gene Description

toll-like receptor adaptor molecule 2

Omim ID

[608321](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

TIRP is a Toll/interleukin-1 receptor (IL1R; MIM 147810) (TIR) domain-containing adaptor protein involved in Toll receptor signaling (see TLR4; MIM 603030).[supplied by OMIM]

Other Designations

OTTHUMP00000162868|TIR domain-containing adaptor molecule 2|TIR-containing adapter molecule 2|TIR-containing adapter molecule-2|TIRAP3a|TRIF-related adaptor molecule|Toll/interleukin-1 receptor (TIR) domain-containing adapter protein|cytoplasmic adaptor

Pathway

- [Toll-like receptor signaling pathway](#)

Disease

- [Cystitis](#)

- [Genetic Predisposition to Disease](#)
- [Pyelonephritis](#)
- [Tobacco Use Disorder](#)
- [Urinary Tract Infections](#)