


Full-Length

## OR5C1 (Human) Recombinant Protein (P01)

Catalog # H00392391-P01

Size 25 ug, 10 ug

### Applications



### Specification

#### Product Description

Human OR5C1 full-length ORF ( NP\_001001923.1, 1 a.a. - 320 a.a.) recombinant protein with GST-tag at N-terminal.

#### Sequence

MNSENLTAAVAPAEFVLLGITNRWDLRVALFLTCLPVYLVSLGNMGMALLIRMDARLHTPMYFF  
LANLSLLDACYSSAIGPKMLVDLLLPRATIPYTACALQMFVFAGLADTECCLLAAMAYDRYVAIRNP  
LLYTTAMSQRLCLALLGASGLGGAVSAFVHTTLTFRLSFCRSRKINSFFCDIPPLLAISCSDTSLNEL  
LLFAICGFIQTATVLAITVSYGFIAGAVIHMRSEGSRRRAASTGGSHLTAVAMMYGTLIFMYLRPSSSY  
ALDTDKMASVFYTLVPSLNPLIYSLRNKEVKEALRQTWSRFHCPGQGSQ

#### Host

Wheat Germ (in vitro)

#### Theoretical MW (kDa)

61.4

#### Interspecies Antigen Sequence

Mouse (85); Rat (85)

#### Preparation Method

[in vitro wheat germ expression system](#)

#### Purification

Glutathione Sepharose 4 Fast Flow

#### Quality Control Testing

12.5% SDS-PAGE Stained with Coomassie Blue.

#### Storage Buffer

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

**Storage Instruction**

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**Note**

Best use within three months from the date of receipt of this protein.

## Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

## Gene Info — OR5C1

**Entrez GeneID**[392391](#)**GeneBank Accession#**[NM\\_001001923.1](#)**Protein Accession#**[NP\\_001001923.1](#)**Gene Name**

OR5C1

**Gene Alias**

OR5C2P, OR9-31, OR9-F

**Gene Description**

olfactory receptor, family 5, subfamily C, member 1

**Gene Ontology**[Hyperlink](#)**Gene Summary**

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq]

**Other Designations**

OTTHUMP00000022067|hRPK-465\_F\_21|olfactory receptor, family 5, subfamily C, member 2 pseudogene

## Pathway

- [Olfactory transduction](#)