


BRCC2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00414899-T01


Size 100 uL

Applications



SDS-PAGE Gel

BRCC2 transfected lysate.



Western Blot

Lane 1: BRCC2 transfected lysate (11.99 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-BRCC2 full-length

Host Human

Theoretical MW (kDa) 11.99

Quality Control Testing Transient overexpression cell lysate was tested with Anti-BRCC2 antibody ([H00414899-B01](#)) by Western Blots.
SDS-PAGE Gel
BRCC2 transfected lysate.
Western Blot
Lane 1: BRCC2 transfected lysate (11.99 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — BLID

Entrez GeneID	414899
GeneBank Accession#	NM_001001786.1
Protein Accession#	-
Gene Name	BLID
Gene Alias	BRCC2, BRCC@, MGC163233, MGC163235
Gene Description	BH3-like motif containing, cell death inducer
Omim ID	608853
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a BH3-like motif containing protein involved in cell death. The encoded protein may induce apoptosis in a caspase-dependent manner. The protein is localized in both the cytoplasm and the mitochondrion. [SH
Other Designations	BRCC2 mRNA BRCC2 protein breast cancer cell 2

Disease

- [Genetic Predisposition to Disease](#)
- [Myopia](#)