


Full-Length

OR5B3 (Human) Recombinant Protein (P01)

Catalog # H00441608-P01 Size 25 ug, 10 ug

Applications



| Specification | |
|----------------------------------|--|
| Product Description | Human OR5B3 full-length ORF (NP_001005469.1, 1 a.a 314 a.a.) recombinant protein with GST-t ag at N-terminal. |
| Sequence | MENKTEVTQFILLGLTNDSELQVPLFITFPFIYIITLVGNLGIIVLIFWDSCLHNPMYFFLSNLSLVDFCY SSAVTPIVMAGFLIEDKVISYNACAAQMYIFVAFATVENYLLASMAYDRYAAVCKPLHYTTTMTTTVC ARLAIGSYLCGFLNASIHTGDTFSLSFCKSNEVHHFFCDIPAVMVLSCSDRHISELVLIYVVSFNIFIA LLVILISYTFIFITILKMHSASVYQKPLSTCASHFIAVGIFYGTIIFMYLQPSSSHSMDTDKMAPVFYTMVI PMLNPLVYSLRNKEVKSAFKKVVEKAKLSVGWSV |
| Host | Wheat Germ (in vitro) |
| Theoretical MW (kDa) | 61.7 |
| Interspecies Antigen Sequence | Mouse (74) |
| Preparation Method | in vitro wheat germ expression system |
| Purification | Glutathione Sepharose 4 Fast Flow |
| Quality Control Testing | 12.5% SDS-PAGE Stained with Coomassie Blue. |
| Storage Buffer | 50 mM Tris-HCI, 10 mM reduced Glutathione, pH=8.0 in the elution buffer. |

😵 Abnova

Product Information

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Note

Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — OR5B3

| Entrez GenelD | 441608 |
|---------------------|---|
| GeneBank Accession# | <u>NM_001005469.1</u> |
| Protein Accession# | <u>NP_001005469.1</u> |
| Gene Name | OR5B3 |
| Gene Alias | OR11-239, OR5B13, OST129 |
| Gene Description | olfactory receptor, family 5, subfamily B, member 3 |
| Gene Ontology | Hyperlink |
| Gene Summary | Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response tha t triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptor s share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. T he olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provid ed by RefSeq |
| Other Designations | olfactory receptor OR11-239 olfactory receptor, family 5, subfamily B, member 13 |



Product Information

Olfactory transduction