


CD244 (Human) ELISA Kit

Catalog # KA3366 Size 1 Kit

Applications



The standard curve is for the purpose of demonstration only and should not be used to calculate unknowns. A standard curve should be generated each time the assay is performed.

Specification	
Product Description	CD244 (Human) ELISA Kit is a sandwich enzyme immunoassay for the quantitative measurement of human CD244.
Suitable Sample	Cell Culture Supernate, Plasma (EDTA, Heparin), Serum
Sample Volume	100 uL
Label	HRP-conjugated
Detection Method	Colorimetric
Assay Type	Quantitative
Calibration Range	62.5 to 4000 pg/mL
Reactivity	Human
Regulation Status	For research use only (RUO)
Quality Control Testing	Standard curve The standard curve is for the purpose of demonstration only and should not be used to calculate unkn owns. A standard curve should be generated each time the assay is performed.
Storage Instruction	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles.



Applications

Quantification

Gene Info — CD244	
Entrez GenelD	<u>51744</u>
Gene Name	CD244
Gene Alias	2B4, NAIL, NKR2B4, Nmrk, SLAMF4
Gene Description	CD244 molecule, natural killer cell receptor 2B4
Omim ID	605554
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Natural killer (NK) cells express both activating and inhibitory cell surface receptors. Inhibitory sign aling receptors all possess cytoplasmic immunoreceptor tyrosine-based inhibitory motifs, or ITIMs , whereas the activating receptors lack ITIMs and associate with DAP12 (TYROBP; MIM 604142), which contains an immunoreceptor tyrosine-based activation motif, or ITAM. Killer cell immunoglo bulin (lg)-like receptors, or KIRs (see KIR2DL1; MIM 604936), and other NK cell receptors interact with major histocompatibility complex (MHC) molecules (see MIM 142800). Members of the CD2 (MIM 186990) family adhere to each other instead. The cell surface glycoprotein 2B4 is related to CD2 and is implicated in the regulation of NK- and T-cell function (Boles et al., 1999 [PubMed 10 458320]).[supplied by OMIM
Other Designations	CD244 natural killer cell receptor 2B4 NK cell activation inducing ligand NAIL OTTHUMP0000002 7884 natural killer cell receptor 2B4

Pathway

• Natural killer cell mediated cytotoxicity

Disease

- Arthritis
- Cell Transformation
- Genetic Predisposition to Disease





- Lupus Erythematosus
- Tobacco Use Disorder