


BID HEK293 Cell Transient Overexpression Lysate(Non-Denatured)


Catalog # L056T6 Size 100 ug

Applications



SDS-PAGE Gel

BID transfected lysate



Western Blot

Lane 1: BID transfected lysate (22 KDa).

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	HEK293
Plasmid	pCMV-BID full length
Host	Human
Theoretical MW (kDa)	22
Lysis Buffer	Modified RIPA Lysis Buffer:50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF.
Concentration	2 mg/ml

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-BID antibody ([H00000637-M01](#)) by Western Blots.
SDS-PAGE Gel
BID transfected lysate
Western Blot
Lane 1: BID transfected lysate (22 KDa).
Lane 2: Non-transfected lysate.

Recommend Usage

Use it directly for immuno-precipitation, or heat lysate with SDS gel loading buffer to 95°C for 5 minutes followed by rapid cooling for western blot application. If dissociating conditions are required, add reducing agent prior to heating.

Storage Buffer

In modified RIPA Lysis Buffer.

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot
- Immunoprecipitation

[Protocol Download](#)

Gene Info — BID

Entrez GeneID

[637](#)

GeneBank Accession#

[BC009197](#)

Protein Accession#

[AAH09197](#)

Gene Name

BID

Gene Alias

FP497, MGC15319, MGC42355

Gene Description

BH3 interacting domain death agonist

Omim ID

[601997](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a death agonist that heterodimerizes with either agonist BAX or antagonist BCL2. The encoded protein is a member of the BCL-2 family of cell death regulators. It is a mediator of mitochondrial damage induced by caspase-8 (CASP8); CASP8 cleaves this encoded protein, and the COOH-terminal part translocates to mitochondria where it triggers cytochrome c release. Multiple alternatively spliced transcript variants have been found, but the full-length nature of some variants has not been defined. [provided by RefSeq]

Other Designations

BH3-interacting domain death agonist|BID isoform ES(1b)|BID isoform L(2)|BID isoform Si6|Human BID coding sequence|OTTHUMP00000196197|apoptotic death agonist|desmocollin type 4

Pathway

- [Amyotrophic lateral sclerosis \(ALS\)](#)
- [Apoptosis](#)
- [Natural killer cell mediated cytotoxicity](#)
- [p53 signaling pathway](#)
- [Pathways in cancer](#)

Disease

- [Adenocarcinoma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Clubfoot](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Disease Progression](#)
- [Edema](#)

- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Lymphatic Metastasis](#)
- [Neoplasm Metastasis](#)
- [Stomach Neoplasms](#)
- [Tobacco Use Disorder](#)