


EVL HEK293 Cell Transient Overexpression Lysate(Non-Denatured)


Catalog # L087T6 Size 100 ug

Applications



SDS-PAGE Gel

EVL transfected lysate



Western Blot

Lane 1: EVL transfected lysate (45 KDa).

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	HEK293
Plasmid	pCMV-EVL full length
Host	Human
Theoretical MW (kDa)	45
Lysis Buffer	Modified RIPA Lysis Buffer:50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF.
Concentration	2 mg/ml

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-EVL antibody ([H00051466-M01](#)) by Western Blots.
SDS-PAGE Gel
EVL transfected lysate
Western Blot
Lane 1: EVL transfected lysate (45 KDa).
Lane 2: Non-transfected lysate.

Recommend Usage

Use it directly for immuno-precipitation, or heat lysate with SDS gel loading buffer to 95°C for 5 minutes followed by rapid cooling for western blot application. If dissociating conditions are required, add reducing agent prior to heating.

Storage Buffer

In modified RIPA Lysis Buffer.

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot
- Immunoprecipitation

[Protocol Download](#)

Gene Info — EVL

Entrez GeneID	51466
GeneBank Accession#	NM_016337
Protein Accession#	NP_057421
Gene Name	EVL
Gene Alias	RNB6
Gene Description	Enah/Vasp-like
Gene Ontology	Hyperlink
Other Designations	-

Disease

- [Tobacco Use Disorder](#)