


MS4A1 monoclonal antibody, clone 2H7 (PE)

Catalog # MAB10172 Size 100 Reactions

Applications



Flow Cytometry

Surface staining of human peripheral blood with MS4A1 monoclonal antibody, clone 2H7 (FITC).

Specification

Product Description Mouse monoclonal antibody raised against MS4A1.

Immunogen Human tonsillar B cells.

Host Mouse

Theoretical MW (kDa) 33-37

Reactivity Human, Non-Human Primates

Form Liquid

Conjugation PE

Purification Size-exclusion chromatography purification

Isotype IgG2b

Recommend Usage Flow Cytometry (0.6 ug/ml)
The optimal working dilution should be determined by the end user.

| | |
|---------------------|--|
| Storage Buffer | In PBS (0.2% BSA, 0.09% sodium azide) |
| Storage Instruction | Store at 4°C. Do not freeze. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |

Applications

- Immunohistochemistry (Frozen sections)
- Immunoprecipitation
- Flow Cytometry

Surface staining of human peripheral blood with MS4A1 monoclonal antibody, clone 2H7 (FITC).

Gene Info — MS4A1

| | |
|--------------------|---|
| Entrez GeneID | 931 |
| Gene Name | MS4A1 |
| Gene Alias | B1, Bp35, CD20, LEU-16, MGC3969, MS4A2, S7 |
| Gene Description | membrane-spanning 4-domains, subfamily A, member 1 |
| Omim ID | 112210 |
| Gene Ontology | Hyperlink |
| Gene Summary | <p>This gene encodes a member of the membrane-spanning 4A gene family. Members of this nascent protein family are characterized by common structural features and similar intron/exon splice boundaries and display unique expression patterns among hematopoietic cells and nonlymphoid tissues. This gene encodes a B-lymphocyte surface molecule which plays a role in the development and differentiation of B-cells into plasma cells. This family member is localized to 11q12, among a cluster of family members. Alternative splicing of this gene results in two transcript variants which encode the same protein. [provided by RefSeq]</p> |
| Other Designations | B-lymphocyte cell-surface antigen B1 CD20 antigen CD20 receptor |

Pathway

- [Hematopoietic cell lineage](#)

Disease

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Lymphoma](#)
- [Neoplasm Recurrence](#)
- [Ovarian cancer](#)