


CSF2 monoclonal antibody, clone 3D3

Catalog # MAB10594 Size 100 uL

Applications



Western Blot (Transfected lysate)

Western blot analysis using CSF2 monoclonal antibody, clone 3D3 (Cat # MAB10594) against CSF2-hlgGfc transfected HEK293 cell lysate.

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant CSF2.
Immunogen	Recombinant protein corresponding to amino acids 18-144 of human CSF2.
Host	Mouse
Theoretical MW (kDa)	16
Reactivity	Human
Form	Liquid
Isotype	IgG1
Recommend Usage	ELISA (1:10000) Western Blot (1:500-1:2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In ascites (0.03% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Transfected lysate)

Western blot analysis using CSF2 monoclonal antibody, clone 3D3 (Cat # MAB10594) against CSF2-hlgGfC transfected HEK293 cell lysate.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CSF2

Entrez GeneID [1437](#)

Gene Name CSF2

Gene Alias GMCSF, MGC131935, MGC138897

Gene Description colony stimulating factor 2 (granulocyte-macrophage)

Omim ID [138960](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene is a cytokine that controls the production, differentiation, and function of granulocytes and macrophages. The active form of the protein is found extracellularly as a homodimer. This gene has been localized to a cluster of related genes at chromosome region 5q 31, which is known to be associated with interstitial deletions in the 5q- syndrome and acute myelogenous leukemia. Other genes in the cluster include those encoding interleukins 4, 5, and 13. [provided by RefSeq]

Other Designations colony stimulating factor 2|granulocyte-macrophage colony stimulating factor|molgramostin|sargramostim

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Fc epsilon RI signaling pathway](#)
- [Hematopoietic cell lineage](#)

- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [T cell receptor signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Blindness](#)
- [Brain Ischemia](#)
- [Bronchial Hyperreactivity](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chlamydia Infections](#)
- [Chorioamnionitis](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Dermatitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Erythema Nodosum](#)
- [Esophagitis](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)

- [Hypersensitivity](#)
- [Hypertension](#)
- [Infant](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Metabolic Syndrome X](#)
- [Migraine Disorders](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Pain](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)
- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)
- [Recurrence](#)
- [Respiratory Syncytial Virus Infections](#)
- [Rhinitis](#)
- [Sarcoidosis](#)

- [Stroke](#)
- [Thyroid Neoplasms](#)
- [Trachoma](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)