
# PPP1CA monoclonal antibody

Catalog # MAB11159 Size 50 ug

## Applications



#### Western Blot (Cell lysate)

Western blot analysis of PPP1CA monoclonal antibody (Cat # MAB11159) at 1:1000 dilution. Lane 1: HepG2 whole cell lysate 40 ug/lane. Lane2: HeLa whole cell lysate 40 ug/lane. Predicted band size: 37 KDa. Observed band size: 37 KDa.

Specification	
Product Description	Mouse monoclonal antibody raised against partial recombinant protein of PPP1CA.
Immunogen	Recombinant protein corresponding to N-terminus of human PPP1CA.
Host	Mouse
Reactivity	Human
Form	Liquid
Purification	Protein G purification
Recommend Usage	ELISA (1:5000-1:20000) Western Blot (1:100-1:2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.

🗑 Abnova

#### **Product Information**

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

### Applications

• Western Blot (Cell lysate)

Western blot analysis of PPP1CA monoclonal antibody (Cat # MAB11159) at 1:1000 dilution. Lane 1: HepG2 whole cell lysate 40 ug/lane. Lane2: HeLa whole cell lysate 40 ug/lane. Predicted band size: 37 KDa. Observed band size: 37 KDa.

• Enzyme-linked Immunoabsorbent Assay

#### Gene Info — PPP1CA

Entrez GenelD	<u>5499</u>
Protein Accession#	P62136;NM_001008709.1
Gene Name	PPP1CA
Gene Alias	MGC15877, MGC1674, PP-1A, PPP1A
Gene Description	protein phosphatase 1, catalytic subunit, alpha isoform
Omim ID	<u>176875</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is one of the three catalytic subunits of protein phosphatase 1 ( PP1). PP1 is a serine/threonine specific protein phosphatase known to be involved in the regulati on of a variety of cellular processes, such as cell division, glycogen metabolism, muscle contractili ty, protein synthesis, and HIV-1 viral transcription. Increased PP1 activity has been observed in th e end stage of heart failure. Studies in both human and mice suggest that PP1 is an important reg ulator of cardiac function. Mouse studies also suggest that PP1 functions as a suppressor of learn ing and memory. Three alternatively spliced transcript variants encoding different isoforms have b een found for this gene. [provided by RefSeq
Other Designations	protein phosphatase 1, catalytic subunit, alpha serine/threonine protein phosphatase PP1-alpha 1 catalytic subunit

Pathway

😵 Abnova

- Focal adhesion
- Insulin signaling pathway
- Long-term potentiation
- <u>Regulation of actin cytoskeleton</u>
- Vascular smooth muscle contraction