

DUX4 monoclonal antibody, clone P2B1 (ATTO 390)

Catalog # MAB11443 Size 100 ug

Applications

Application Data with Unconjugated Antibody

Immunofluorescence

□

Immunofluorescent staining of C2C12 cells transfected pCS2+DUX4 with DUX4 monoclonal antibody, clone P2B1 (Cat # MAB11442) at 10 ug/mL (left). Counter-stained with DAPI for nuclei (right).

Application Data with Unconjugated Antibody

Western Blot (Transfected lysate)

□

Western blot analysis of C2C12 cells transfected with pCS2+DUX4 which contains an additional upstream start site with DUX4 monoclonal antibody, clone P2B1 (Cat # MAB11442).

Specification

Product Description	Mouse monoclonal antibody raised against recombinant partial DUX4.
Immunogen	Recombinant GST fusion protein corresponding to a 76 amino acid fragment at C-terminus of human DUX4.
Host	Mouse
Reactivity	Human
Specificity	This antibody recognizes human DUX4. It does not cross-react with DUX4c.
Form	Liquid
Conjugation	ATTO 390

Extinction Coefficient	24,000
Excitation (Max)	390 nm
Emission (Max)	479 nm
Purification	Protein G purification
Isotype	IgG1
Recommend Usage	Western Blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (50% glycerol, 0.09% sodium azide)
Storage Instruction	Store at 4°C. Aliquot to avoid repeated freezing and thawing.
Note	Application Data with Unconjugated Antibody Immunofluorescence Immunofluorescent staining of C2C12 cells transfected pCS2+DUX4 with DUX4 monoclonal antibody, clone P2B1 (Cat # MAB11442) at 10 ug/mL (left). Counter-stained with DAPI for nuclei (right). Western Blot (Transfected lysate) Western blot analysis of C2C12 cells transfected with pCS2+DUX4 which contains an additional upstream start site with DUX4 monoclonal antibody, clone P2B1 (Cat # MAB11442).

Applications

- Western Blot (Transfected lysate)
- Immunohistochemistry
- Immunofluorescence

Gene Info — DUX4

Entrez GeneID	22947
Protein Accession#	NP_149418.3
Gene Name	DUX4
Gene Alias	DUX10
Gene Description	double homeobox, 4

Omim ID [606009](#)

Gene Ontology [Hyperlink](#)

Gene Summary

This gene is located within a D4Z4 repeat array in the subtelomeric region of chromosome 4q. The D4Z4 repeat is polymorphic in length; a similar D4Z4 repeat array has been identified on chromosome 10. Each D4Z4 repeat unit has an open reading frame (named DUX4) that contains two homeoboxes; the repeat-array and ORF is conserved in other mammals. There was no evidence for transcription from standard cDNA libraries however RTPCR and in-vitro expression experiments indicate that the ORF is transcribed and the encoded protein has been reported to function as a transcriptional activator of paired-like homeodomain transcription factor 1 (PITX1; GeneID 5307). Contraction of the microsatellite repeat causes autosomal dominant facioscapulohumeral muscular dystrophy (FSHD). [provided by RefSeq]

Other Designations double homeobox protein 4|double homeobox protein DUX10

Disease

- [Muscular Dystrophy](#)