


PRDM10 monoclonal antibody, clone 48AT1224.90.46

Catalog # MAB1150 Size 400 uL

Applications



Western Blot (Cell lysate)

Western analysis of extracts from 293 cells using PRDM10 monoclonal antibody, clone 48AT1224.90.46 (Cat # MAB1150) .

Specification	
Product Description	Mouse monoclonal antibody raised against partial recombinant PRDM10.
Immunogen	Recombinant GST fusion protein corresponding to the N-terminus of human PRDM10.
Host	Mouse
Reactivity	Human, Mouse
Form	Liquid
Purification	Protein G purification
lsotype	lgG1
Recommend Usage	Western Blot (1:100-500) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

😵 Abnova

Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western analysis of extracts from 293 cells using PRDM10 monoclonal antibody, clone 48AT1224.90.46 (Cat # MAB1150).

Gene Info — PRDM10

Entrez GenelD	<u>56980</u>
Protein Accession#	<u>Q9NQV6</u>
Gene Name	PRDM10
Gene Alias	KIAA1231, MGC131802, PFM7
Gene Description	PR domain containing 10
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a transcription factor that contains C2H2-type zinc-fingers. It also contains a positive regulatory domain, which has been found in several other zinc-finger trans cription factors including those involved in B cell differentiation and tumor suppression. Studies of the mouse counterpart suggest that this protein may be involved in the development of the central nerve system (CNS), as well as in the pathogenesis of neuronal storage disease. Multiple alternat ively spliced transcript variants encoding distinct isoforms have been observed. [provided by Ref Seq
Other Designations	PR-domain family member 7 PRDM zinc finger transcription factor tristanin

Publication Reference

Novel breast cancer risk alleles and interaction with ionizing radiation among U.S. radiologic technologists.

Bhatti P, Doody MM, Rajaraman P, Alexander BH, Yeager M, Hutchinson A, Burdette L, Thomas G, Hunter DJ, Simon SL, Weinstock RM, Rosenstein M, Stovall M, Preston DL, Linet MS, Hoover RN, Chanock SJ, Sigurdson AJ.

Radiation Research 2010 Feb; 173(2):214.



Association between genetic variants in VEGF, ERCC3 and occupational benzene haematotoxicity.

Hosgood HD 3rd, Zhang L, Shen M, Berndt SI, Vermeulen R, Li G, Yin S, Yeager M, Yuenger J, Rothman N, Chanock S, Smith M, Lan Q.

Occupational and Environmental Medicine 2009 Sep; 66(12):848.

Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences.

Strausberg RL, Feingold EA, Grouse LH, Derge JG, Klausner RD, Collins FS, Wagner L, Shenmen CM, Schuler GD, Altschul SF, Zeeberg B, Buetow KH, Schaefer CF, Bhat NK, Hopkins RF, Jordan H, Moore T, Max SI, Wang J, Hsieh F, Diatchenko L, Marusina K, Farmer AA, Rubin GM, Hong L, Stapleton M, Soares MB, Bonaldo MF, Casavant TL, Scheetz TE, Brownstein MJ, Usdin TB, Toshiyuki S, Carninci P, Prange C, Raha SS, Loquellano NA, Peters GJ, Abramson RD, Mullahy SJ, Bosak SA, McEwan PJ, McKernan KJ, Malek JA,

PNAS 2002 Dec; 99(26):16899.

Disease

- Breast Neoplasms
- Genetic Predisposition to Disease
- Hematologic Diseases
- Occupational Diseases