


PDCD1 monoclonal antibody, clone SPM597

Catalog # MAB13137

Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with PDCD1 monoclonal antibody, clone SPM597 (Cat # MAB13137).

Specification

Product Description	Mouse monoclonal antibody raised against full length recombinant human PDCD1.
Immunogen	Recombinant protein corresponding to full length human PDCD1.
Host	Mouse
Theoretical MW (kDa)	55
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).

Storage Instruction

Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with PDCD1 monoclonal antibody, clone SPM597 (Cat # MAB13137).

- Immunofluorescence

- Flow Cytometry

Gene Info — PDCD1

Entrez GeneID[5133](#)**Protein Accession#**[Q15116](#)**Gene Name**

PDCD1

Gene Alias

CD279, PD1, SLEB2, hPD-1, hPD-I

Gene Description

programmed cell death 1

Omim ID[152700 600244](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a cell surface membrane protein of the immunoglobulin superfamily. This protein is expressed in pro-B-cells and is thought to play a role in their differentiation. In mice, expression of this gene is induced in the thymus when anti-CD3 antibodies are injected and large numbers of thymocytes undergo apoptosis. Mice deficient for this gene bred on a BALB/c background developed dilated cardiomyopathy and died from congestive heart failure. These studies suggest that this gene product may also be important in T cell function and contribute to the prevention of autoimmune diseases. [provided by RefSeq]

Other Designations

-

Pathway

- [Cell adhesion molecules \(CAMs\)](#)
- [T cell receptor signaling pathway](#)

Disease

- [Addison Disease](#)
- [Alveolitis](#)
- [Arthritis](#)
- [Autoimmune Diseases](#)
- [Carcinoma](#)
- [Choriocarcinoma](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Hydatidiform Mole](#)
- [Inflammation](#)
- [Kidney Diseases](#)
- [Leukemia](#)
- [Liver Cirrhosis](#)
- [Lupus Erythematosus](#)
- [Lupus Nephritis](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Sclerosis](#)

- [Myocardial Infarction](#)
- [Neovascularization](#)
- [Polyendocrinopathies](#)
- [Spondylitis](#)
- [Uterine Cervical Neoplasms](#)
- [Uveomeningoencephalitic Syndrome](#)
- [Vasculitis](#)
- [Wegener Granulomatosis](#)