


CYCS monoclonal antibody, clone SPM389

Catalog # MAB13139 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human salivary tumor (A) and human pancreas (B) with CYCS monoclonal antibody, clone SPM389 (Cat # MAB13139).

Specification	
Product Description	Mouse monoclonal antibody raised against synthetic peptide of CYCS.
Immunogen	A synthetic peptide corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYCS.
Host	Mouse
Theoretical MW (kDa)	15
Reactivity	Human, Pigeon
Form	Liquid
Purification	Protein A/G purification
lsotype	lgG2b, kappa



Product Information

Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.25-0.5 ug/mL) Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 1 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human salivary tumor (A) and human pancreas (B) with CYCS monoclonal antibody, clone SPM389 (Cat # MAB13139).

- Immunofluorescence
- Flow Cytometry

Gene Info — CYCS

Entrez GenelD	<u>54205</u>
Protein Accession#	<u>P99999</u>
Gene Name	CYCS
Gene Alias	CYC, HCS
Gene Description	cytochrome c, somatic
Omim ID	<u>123970</u>
Gene Ontology	Hyperlink



Product Information

Gene Summary

This gene encodes cytochrome c, a component of the electron transport chain in mitochondria. Th e heme group of cytochrome c accepts electrons from the b-c1 complex and transfers electrons to the cytochrome oxidase complex. Cytochrome c is also involved in initiation of apoptosis. Upon re lease of cytochrome c to the cytoplasm, the protein binds apoptotic protease activating factor whi ch activates the apoptotic initiator procaspase 9. Many cytochrome c pseudogenes exist, scatter ed throughout the human genome. [provided by RefSeq

Other Designations

cytochrome c

Pathway

- <u>Amyotrophic lateral sclerosis (ALS)</u>
- Apoptosis
- Colorectal cancer
- p53 signaling pathway
- Pathways in cancer
- Small cell lung cancer

Disease

Thrombocytopenia