


KRT8/KRT18 monoclonal antibody, clone SPM141

Catalog # MAB13213 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human lung cancer with KRT8/KRT18 monoclonal antibody, clone SPM141 (Cat # MAB13213).

Specification

Product Description	Mouse monoclonal antibody raised against native human KRT8/KRT18.
Immunogen	Keratin preparation from human breast carcinoma MCF-7 cells.
Host	Mouse
Theoretical MW (kDa)	52.5, 45
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).

Storage Instruction

Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human lung cancer with KRT8/KRT18 monoclonal antibody, clone SPM141 (Cat # MAB13213).
- Immunofluorescence
- Flow Cytometry

Gene Info — KRT8

Entrez GeneID [3856](#)**Protein Accession#** [P05787;P05783](#)**Gene Name** KRT8**Gene Alias** CARD2, CK8, CYK8, K2C8, K8, KO**Gene Description** keratin 8**Omim ID** [148060](#) [215600](#)**Gene Ontology** [Hyperlink](#)

Gene Summary This gene is a member of the type II keratin family clustered on the long arm of chromosome 12. Type I and type II keratins heteropolymerize to form intermediate-sized filaments in the cytoplasm of epithelial cells. The product of this gene typically dimerizes with keratin 18 to form an intermediate filament in simple single-layered epithelial cells. This protein plays a role in maintaining cellular structural integrity and also functions in signal transduction and cellular differentiation. Mutations in this gene cause cryptogenic cirrhosis. [provided by RefSeq]

Other Designations cytokeratin 8|keratin, type II cytoskeletal 8

Gene Info — KRT18

Entrez GeneID [3875](#)

Protein Accession# [P05787;P05783](#)

Gene Name KRT18

Gene Alias CYK18, K18

Gene Description keratin 18

Omim ID [148070 215600](#)

Gene Ontology [Hyperlink](#)

Gene Summary KRT18 encodes the type I intermediate filament chain keratin 18. Keratin 18, together with its filament partner keratin 8, are perhaps the most commonly found members of the intermediate filament gene family. They are expressed in single layer epithelial tissues of the body. Mutations in this gene have been linked to cryptogenic cirrhosis. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq]

Other Designations cell proliferation-inducing protein 46|cytokeratin 18

Pathway

- [Pathogenic Escherichia coli infection - EHEC](#)

Disease

- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Chronic Disease](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Disease Progression](#)
- [Drug-Induced Liver Injury](#)
- [Drug-Induced Liver Injury](#)

- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)
- [Inflammatory Bowel Diseases](#)
- [Liver Cirrhosis](#)
- [Liver Cirrhosis](#)
- [Liver Failure](#)
- [Liver Failure](#)
- [Neuroblastoma](#)
- [Pancreatitis](#)