


CD79A monoclonal antibody, clone IGA/515

Catalog # MAB13227 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human lymphoma using CD79A monoclonal antibody, clone IGA/515 (Cat # MAB13227).

Specification

Product Description Mouse monoclonal antibody raised against full length recombinant human CD79A.

Immunogen Recombinant protein corresponding to full length human CD79A.

Host Mouse

Theoretical MW (kDa) 44

Reactivity Human

Form Liquid

Purification Protein A/G purification

Isotype IgG1, kappa

Recommend Usage
Flow Cytometry (0.5-1 ug/million cells in 0.1 mL)
Immunofluorescence (0.5-1 ug/mL)
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.25-0.5 ug/mL)
The optimal working dilution should be determined by the end user.

Storage Buffer In 10 mM PBS (0.05% BSA, 0.05% sodium azide).

Storage Instruction

Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human lymphoma using CD79A monoclonal antibody, clone IGA/515 (Cat # MAB13227).

- Immunofluorescence

- Flow Cytometry

Gene Info — CD79A

Entrez GeneID
[973](#)
Protein Accession#
[P11912](#)
Gene Name

CD79A

Gene Alias

IGA, MB-1

Gene Description

CD79a molecule, immunoglobulin-associated alpha

Omim ID
[112205](#)
Gene Ontology
[Hyperlink](#)
Gene Summary

The B lymphocyte antigen receptor is a multimeric complex that includes the antigen-specific component, surface immunoglobulin (Ig). Surface Ig non-covalently associates with two other proteins, Ig-alpha and Ig-beta, which are necessary for expression and function of the B-cell antigen receptor. This gene encodes the Ig-alpha protein of the B-cell antigen component. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq]

Other Designations

B-cell antigen receptor complex-associated protein alpha chain|CD79A antigen|CD79a antigen (immunoglobulin-associated alpha)|MB-1 membrane glycoprotein|surface IgM-associated protein

Pathway

- [B cell receptor signaling pathway](#)

- [Primary immunodeficiency](#)

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Hodgkin Disease](#)
- [Lymphoproliferative Disorders](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)