


MUC3 monoclonal antibody, clone M3.1

Catalog # MAB13369 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human gastric carcinoma (A, B) and human colon carcinoma (C) with MUC3 monoclonal antibody, clone M3.1 (Cat # MAB13369).

Specification	
Product Description	Mouse monoclonal antibody raised against synthetic peptide of human MUC3.
lmmunogen	A synthetic peptide (conjugated with KLH) corresponding to a 35 amino acid fragment, SIB35, which contains two tandem repeats of human MUC3.
Host	Mouse
Theoretical MW (kDa)	1100



Product Information

Reactivity	Human
Specificity	This monoclonal antibody shows no cross-reaction with human milk fat globule membranes, MUC1, o r MUC2.
Form	Liquid
Purification	Protein A/G purification
Isotype	lgG2a, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
 - Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human gastric carcinoma (A, B) and human colon carcinoma (C) with MUC3 monoclonal antibody, clone M3.1 (Cat # MAB13369).
- Immunofluorescence
- Flow Cytometry

Gene Info — MUC3A	
Entrez GeneID	<u>4584</u>
Protein Accession#	Q02505;Q9H195
Gene Name	MUC3A
Gene Alias	MUC3, mucin
Gene Description	mucin 3A, cell surface associated



Product Information

Omim ID	<u>158371 191390</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The mucin genes encode epithelial glycoproteins, some of which are secreted and some membra ne bound. Each of the genes contains at least one large domain of tandemly repeated sequence t hat encodes the peptide sequence rich in serine and/or threonine residues, which carries most of the O-linked glycosylation (Gendler and Spicer, 1995 [PubMed 7778880]).[supplied by OMIM
Other Designations	mucin 3, intestinal mucin 3A, intestinal

Gene Info — MUC3B	
Entrez GenelD	<u>57876</u>
Protein Accession#	Q02505;Q9H195
Gene Name	MUC3B
Gene Alias	MUC3, MUC3A
Gene Description	mucin 3B, cell surface associated
Omim ID	<u>605633</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	0
Other Designations	intestinal mucin MUC3B mucin 3B