


BCL2 monoclonal antibody, clone BCL2/796

Catalog # MAB13419

Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil (A) and human melanoma (B) with BCL2 monoclonal antibody, clone BCL2/796 (Cat # MAB13419).

Specification

Product Description	Mouse monoclonal antibody raised against full length recombinant human BCL2.
Immunogen	Recombinant protein corresponding to full length human BCL2.
Host	Mouse
Theoretical MW (kDa)	25-26
Reactivity	Human
Specificity	This monoclonal antibody shows no cross-reaction with Bcl-x or Bax protein.
Form	Liquid
Purification	Protein A/G purification

Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil (A) and human melanoma (B) with BCL2 monoclonal antibody, clone BCL2/796 (Cat # MAB13419).
- Immunofluorescence
- Flow Cytometry

Gene Info — BCL2

Entrez GeneID	596
Protein Accession#	P10415
Gene Name	BCL2
Gene Alias	Bcl-2
Gene Description	B-cell CLL/lymphoma 2
Omim ID	151430
Gene Ontology	Hyperlink

Gene Summary

This gene encodes an integral outer mitochondrial membrane protein that blocks the apoptotic death of some cells such as lymphocytes. Constitutive expression of BCL2, such as in the case of translocation of BCL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma. Two transcript variants, produced by alternate splicing, differ in their C-terminal ends. [provided by RefSeq]

Other Designations

B-cell lymphoma protein 2|OTTHUMP00000163680

Pathway

- [Amyotrophic lateral sclerosis \(ALS\)](#)
- [Apoptosis](#)
- [Colorectal cancer](#)
- [Focal adhesion](#)
- [Neurotrophin signaling pathway](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)

Disease

- [Adenocarcinoma](#)
- [Alzheimer Disease](#)
- [Amnesia](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Azoospermia](#)
- [Bile Duct Neoplasms](#)
- [Brain Injuries](#)
- [Breast cancer](#)

- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cholangiocarcinoma](#)
- [Chromosome Aberrations](#)
- [Clubfoot](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Kidney Failure](#)
- [Kidney Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Leukemia](#)
- [Leukemia-Lymphoma](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)

- [Multiple Sclerosis](#)
- [NARP](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Recurrence](#)
- [Neovascularization](#)
- [Neuropsychological Tests](#)
- [Occupational Diseases](#)
- [Oropharyngeal Neoplasms](#)
- [Ovarian Neoplasms](#)
- [Postoperative Complications](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Prosthesis Failure](#)
- [Pulmonary Disease](#)
- [Thyroid Neoplasms](#)
- [Translocation](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)