


CD44 monoclonal antibody, clone HI44a (Biotin)

Catalog # MAB13926 Size 100 ug

Applications



Flow Cytometry

Flow cytometric analysis of human peripheral blood lymphocytes with CD44 monoclonal antibody, clone HI44a (Biotin) (Cat # MAB13926).

Specification

Product Description	Mouse monoclonal antibody raised against human CD44.
Immunogen	Human leukocytes of a patient suffering from LGL type leukemia.
Host	Mouse
Theoretical MW (kDa)	80-95
Reactivity	Human
Form	Liquid
Conjugation	Biotin
Purification	Protein A/G purification
Purity	>90%
Isotype	IgG2a

Recommend Usage	Flow Cytometry (1 ug/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (protein stabilizer, 0.09% sodium azide).
Storage Instruction	Store in the dark at 4°C. Avoid prolonged exposure to light.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Flow Cytometry

Flow cytometric analysis of human peripheral blood lymphocytes with CD44 monoclonal antibody, clone HI44a (Biotin) (Cat # MAB13926).

Gene Info — CD44

Entrez GeneID	960
Protein Accession#	P16070
Gene Name	CD44
Gene Alias	CDW44, CSPG8, ECMR-III, HCELL, IN, LHR, MC56, MDU2, MDU3, MGC10468, MIC4, MUTCH-I, Pgp1
Gene Description	CD44 molecule (Indian blood group)
Omim ID	107269
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis. [provided by RefSeq]
Other Designations	CD44 antigen CD44 antigen (homing function and Indian blood group system) CDW44 antigen GP90 lymphocyte homing/adhesion receptor Hermes antigen antigen gp90 homing receptor cell adhesion molecule cell surface glycoprotein CD44 chondroitin sulfate proteoglycan

Pathway

- [ECM-receptor interaction](#)
- [Hematopoietic cell lineage](#)

Disease

- [Arthritis](#)
- [Breast Neoplasms](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Craniofacial Abnormalities](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Heart Defects](#)
- [Hepatitis B](#)
- [Kidney Failure](#)
- [Mouth Abnormalities](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Ovarian Neoplasms](#)