


# CD58 monoclonal antibody, clone HI58a (PE)

Catalog # MAB13952 Size 100 Reactions

### Applications



#### Flow Cytometry

Flow cytometric analysis of human normal whole blood with CD58 monoclonal antibody, clone HI58a (PE) (Cat # MAB13952).

#### Specification

Product Description	Mouse monoclonal antibody raised against human CD58.
Immunogen	CD58 transfected CHO cell line.
Host	Mouse
Theoretical MW (kDa)	55-70
Reactivity	Human
Form	Liquid
Conjugation	PE
Purification	Protein A/G purification
Purity	>90%
lsotype	lgG1

# 😵 Abnova

#### **Product Information**

Recommend Usage	Flow Cytometry (20 uL/10 <sup>6</sup> cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (protein stabilizer, 0.09% sodium azide).
Storage Instruction	Store in the dark at 4°C. Avoid prolonged exposure to light.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## Applications

• Flow Cytometry

Flow cytometric analysis of human normal whole blood with CD58 monoclonal antibody, clone HI58a (PE) (Cat # MAB13952).

## Gene Info — CD58

Entrez GenelD	<u>965</u>
Protein Accession#	<u>P19256</u>
Gene Name	CD58
Gene Alias	LFA-3, LFA3
Gene Description	CD58 molecule
Omim ID	<u>153420</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the immunoglobulin superfamily. The encoded protein is a ligand of the T lymphocyte CD2 protein, and functions in adhesion and activation of T lymphocytes. The p rotein is localized to the plasma membrane. Alternatively spliced transcript variants have been de scribed. [provided by RefSeq
Other Designations	CD58 antigen, (lymphocyte function-associated antigen 3) OTTHUMP00000024363

#### Pathway

• Cell adhesion molecules (CAMs)



#### Disease

- Arthritis
- <u>Autoimmune Diseases</u>
- Diabetes Mellitus
- Genetic Predisposition to Disease
- Hepatitis B
- <u>Multiple Sclerosis</u>