


KRT18 monoclonal antibody, clone KRT18/835

Catalog # MAB14338 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human lung carcinoma (A), human thyroid carcinoma (B), human prostate carcinoma (C), human colon carcinoma (D) and human bladder carcinoma (E) with KRT18 monoclonal antibody, clone KRT18/835 (Cat # MAB14338).

Specification

Product Description	Mouse monoclonal antibody raised against full length recombinant human KRT18.
Immunogen	Recombinant protein corresponding to full length human KRT18.
Host	Mouse
Theoretical MW (kDa)	45
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1

Recommend Usage

Flow Cytometry (0.5-1 ug/10⁶ cells in 0.1 mL)
Immunofluorescence (1-2 ug/mL)
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL)
The optimal working dilution should be determined by the end user.

Storage Buffer

In 10 mM PBS.

Storage Instruction

Store at -20 to -80°C.
Aliquot to avoid repeated freezing and thawing.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human lung carcinoma (A), human thyroid carcinoma (B), human prostate carcinoma (C), human colon carcinoma (D) and human bladder carcinoma (E) with KRT18 monoclonal antibody, clone KRT18/835 (Cat # MAB14338).

- Immunofluorescence

- Flow Cytometry

Gene Info — KRT18

Entrez GeneID

[3875](#)

Protein Accession#

[P05783](#)

Gene Name

KRT18

Gene Alias

CYK18, K18

Gene Description

keratin 18

Omim ID

[148070](#) [215600](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

KRT18 encodes the type I intermediate filament chain keratin 18. Keratin 18, together with its filament partner keratin 8, are perhaps the most commonly found members of the intermediate filament gene family. They are expressed in single layer epithelial tissues of the body. Mutations in this gene have been linked to cryptogenic cirrhosis. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq]

Other Designations

cell proliferation-inducing protein 46|cytokeratin 18

Pathway

- [Pathogenic Escherichia coli infection - EHEC](#)

Disease

- [Cleft Lip](#)
- [Cleft Palate](#)
- [Drug-Induced Liver Injury](#)
- [Genetic Predisposition to Disease](#)
- [Liver Cirrhosis](#)
- [Liver Failure](#)