


MYH11 monoclonal antibody, clone SMMS-1

Catalog # MAB14374 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human breast carcinoma (A) and human leiomyosarcoma (B) with MYH11 monoclonal antibody, clone SMMS-1 (Cat # MAB14374).

Specification	
Product Description	Mouse monoclonal antibody raised against native human MYH11.
Immunogen	Human uterus extract.
Host	Mouse
Theoretical MW (kDa)	205, 200
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
lsotype	lgG1, kappa



Product Information

Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS.
Storage Instruction	Store at -20 to -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human breast carcinoma (A) and human leiomyosarcoma (B) with MYH11 monoclonal antibody, clone SMMS-1 (Cat # MAB14374).

- Immunofluorescence
- Flow Cytometry

Gene Info — MYH11	
Entrez GenelD	<u>4629</u>
Protein Accession#	<u>P35749</u>
Gene Name	MYH11
Gene Alias	AAT4, DKFZp686D10126, DKFZp686D19237, FAA4, FLJ35232, MGC126726, MGC32963, S MHC, SMMHC
Gene Description	myosin, heavy chain 11, smooth muscle
Omim ID	<u>132900 160745</u>
Gene Ontology	Hyperlink



Product Information

Gene Summary

The protein encoded by this gene is a smooth muscle myosin belonging to the myosin heavy chain n family. The gene product is a subunit of a hexameric protein that consists of two heavy chain sub units and two pairs of non-identical light chain subunits. It functions as a major contractile protein, converting chemical energy into mechanical energy through the hydrolysis of ATP. The gene enco ding a human ortholog of rat NUDE1 is transcribed from the reverse strand of this gene, and its 3' end overlaps with that of the latter. The pericentric inversion of chromosome 16 [inv(16)(p13q22)] produces a chimeric transcript that encodes a protein consisting of the first 165 residues from the N terminus of core-binding factor beta in a fusion with the C-terminal portion of the smooth muscle myosin heavy chain. This chromosomal rearrangement is associated with acute myeloid leukemia of the M4Eo subtype. Alternative splicing generates isoforms that are differentially expressed, wit h ratios changing during muscle cell maturation. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq

Other Designations

myosin, heavy polypeptide 11, smooth muscle|smooth muscle myosin heavy chain 11

Pathway

- Tight junction
- Vascular smooth muscle contraction

Disease

- Adenocarcinoma
- Breast cancer
- Breast Neoplasms
- Ductus Arteriosus
- Genetic Predisposition to Disease
- Leukemia
- Prostate cancer
- Prostatic Neoplasms