


TFF1 monoclonal antibody, clone TFF1/1091

Catalog # MAB14445 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of (A) human breast carcinoma and (B) human ovarian carcinoma with TFF1 monoclonal antibody, clone TFF1/1091 (Cat # MAB14445).

Specification

Product Description	Mouse monoclonal antibody raised against synthetic peptide of human TFF1.
Immunogen	A synthetic peptide corresponding to C-terminus of human TFF1.
Host	Mouse
Theoretical MW (kDa)	6.5
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification

Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/million cells in 0.1 mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA and 0.05% azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of (A) human breast carcinoma and (B) human ovarian carcinoma with TFF1 monoclonal antibody, clone TFF1/1091 (Cat # MAB14445).

- Immunofluorescence
- Flow Cytometry

Gene Info — TFF1

Entrez GeneID	7031
Protein Accession#	P04155
Gene Name	TFF1
Gene Alias	BCEI, D21S21, HP1.A, HPS2, pNR-2, pS2
Gene Description	trefoil factor 1
Omim ID	113710
Gene Ontology	Hyperlink

Gene Summary

Members of the trefoil family are characterized by having at least one copy of the trefoil motif, a 40-amino acid domain that contains three conserved disulfides. They are stable secretory proteins expressed in gastrointestinal mucosa. Their functions are not defined, but they may protect the mucosa from insults, stabilize the mucus layer, and affect healing of the epithelium. This gene, which is expressed in the gastric mucosa, has also been studied because of its expression in human tumors. This gene and two other related trefoil family member genes are found in a cluster on chromosome 21. [provided by RefSeq]

Other Designations

breast cancer estrogen-inducible sequence|gastrointestinal trefoil protein pS2

Publication Reference

- [Characterization of monoclonal antibodies raised to C-terminal peptides of pS2: a major trefoil peptide and motility factor expressed in adenocarcinomas and regions of mucosal injury.](#)

Williams R, Elia G, Stamp GW, Oates T, Wright NA, Lalani EN.

Human Pathology 1996 Dec; 27(12):1259.

Disease

- [Cerebral Hemorrhage](#)
- [Chronic Disease](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Intracranial Hemorrhages](#)
- [Kidney Calculi](#)
- [Kidney Diseases](#)
- [Lung Neoplasms](#)
- [Pulmonary Disease](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)