


TYRP1 monoclonal antibody, clone TYRP1/807

Catalog # MAB14458 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human melanoma with TYRP1 monoclonal antibody, clone TYRP1/807 (Cat # MAB14458).

Specification

Product Description	Mouse monoclonal antibody raised against full length recombinant human TYRP1.
Immunogen	Recombinant protein corresponding to full length human TYRP1.
Host	Mouse
Theoretical MW (kDa)	75
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG2a, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/million cells) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (3-6 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA and 0.05% azide).

Storage Instruction

Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human melanoma with TYRP1 monoclonal antibody, clone TYRP1/807 (Cat # MAB14458).

- Immunofluorescence
- Flow Cytometry

Gene Info — TYRP1

Entrez GeneID[7306](#)**Protein Accession#**[P17643](#)**Gene Name**

TYRP1

Gene Alias

CAS2, CATB, GP75, TRP, TYRP, b-PROTEIN

Gene Description

tyrosinase-related protein 1

Omim ID[115501](#) [203290](#) [278400](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a melanosomal enzyme that belongs to the tyrosinase family and plays an important role in the melanin biosynthetic pathway. Defects in this gene are the cause of rufous oculocutaneous albinism and oculocutaneous albinism type III. [provided by RefSeq]

Other Designations

associated with iris pigmentation

Publication Reference

- [High-molecular-weight forms of tyrosinase and the tyrosinase-related proteins: evidence for a melanogenic complex.](#)

Orlow SJ, Zhou BK, Chakraborty AK, Drucker M, Pifko-Hirst S, Pawelek JM.

The Journal of Investigative Dermatology 1994 Aug; 103(2):196.

Application: IP, WB-Ce, WB-Re, Mouse, Melan-a cells, Purified protein

Pathway

- [Melanogenesis](#)
- [Metabolic pathways](#)
- [Tyrosine metabolism](#)

Disease

- [Albinism](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hermanski-Pudlak Syndrome](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Neoplasm Metastasis](#)
- [Skin Neoplasms](#)