DSG1 monoclonal antibody, clone 27B2

Catalog # MAB14500 Size 100 ug

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant human DSG1.
Immunogen	Recombinant protein corresponding to intracellular domain of human DSG1.
Host	Mouse
Theoretical MW (kDa)	150, 160
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
lsotype	lgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells) Immunofluorescence (1-2 ug/mL) Western Blotting (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Western Blot
- Immunofluorescence
- Flow Cytometry

😵 Abnova

Gene Info — DSG1	
Entrez GenelD	<u>1828</u>
Protein Accession#	<u>Q02413</u>
Gene Name	DSG1
Gene Alias	CDHF4, DG1, DSG
Gene Description	desmoglein 1
Omim ID	<u>125670 148700</u>
Gene Ontology	Hyperlink
Gene Summary	Desmosomes are cell-cell junctions between epithelial, myocardial and certain other cell types. D esmoglein 1 is a calcium-binding transmembrane glycoprotein component of desmosomes in vert ebrate epithelial cells. Currently, three desmoglein subfamily members have been identified and a II are members of the cadherin cell adhesion molecule superfamily. These desmoglein gene famil y members are located in a cluster on chromosome 18. The protein encoded by this gene has be en identified as the autoantigen of the autoimmune skin blistering disease pemphigus foliaceus. [provided by RefSeq
Other Designations	desmosomal glycoprotein 1 pemphigus foliaceus antigen

Publication Reference

• <u>Desmoglein isotype expression in the hair follicle and its cysts correlates with type of keratinization and degree</u> of differentiation.

Wu H, Stanley JR, Cotsarelis G.

The Journal of Investigative Dermatology 2003 Jun; 120(6):1052.

Application: IF, Human, Hair follicles

• Generation of monoclonal antibodies specific for desmoglein family members.

Wahl JK 3rd.

Hybridoma and Hybridomics 2002 Feb; 21(1):37.

Application: IF, IP, WB-Tr, Human, A-431D cells

Disease



• Pemphigus