


ENO2 monoclonal antibody, clone ENO2/1462

Catalog # MAB14516 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pheochromocytoma (A), mouse pancreas (B) and rat heart (C) with ENO2 monoclonal antibody, clone ENO2/1462 (Cat # MAB14516).

Specification

Product Description	Mouse monoclonal antibody raised against synthetic peptide of human ENO2.
Immunogen	A synthetic peptide corresponding to amino acids 416-433 of human ENO2.
Host	Mouse
Theoretical MW (kDa)	~50

Abnova

Product Information

Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Protein A/G purification
lsotype	lgG2b
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.1-0.2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pheochromocytoma (A), mouse pancreas (B) and rat heart (C) with ENO2 monoclonal antibody, clone ENO2/1462 (Cat # MAB14516).

- Immunofluorescence
- Flow Cytometry

Gene Info — ENO2	
Entrez GenelD	2026
Protein Accession#	<u>P09104</u>
Gene Name	ENO2
Gene Alias	NSE
Gene Description	enolase 2 (gamma, neuronal)
Omim ID	131360
Gene Ontology	Hyperlink



Product Information

 Gene Summary
 This gene encodes one of the three enolase isoenzymes found in mammals. This isoenzyme, a h omodimer, is found in mature neurons and cells of neuronal origin. A switch from alpha enolase to gamma enolase occurs in neural tissue during development in rats and primates. [provided by Re fSeq

 Other Designations
 2-phospho-D-glycerate hydrolyase|enolase 2|neural enolase|neuron specific gamma enolase|neur one-specific enolase

Publication Reference

• DNA sequences encoding enclase are remarkably conserved from yeast to mammals.

Verma M, Dutta SK.

Life Sciences 1994 Jun; 55(12):893.

Pathway

- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- <u>Glycolysis / Gluconeogenesis</u>
- Metabolic pathways
- RNA degradation

Disease

- <u>Alzheimer disease</u>
- <u>Cerebral Amyloid Angiopathy</u>
- Genetic Predisposition to Disease

😵 Abnova

Product Information

- Neuroblastoma
- Schizophrenia