


POMC monoclonal antibody, clone CLIP/1407

Catalog # MAB14873 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pituitary gland with POMC monoclonal antibody, clone CLIP/1407 (Cat # MAB14873).

Specification

Product Description Mouse monoclonal antibody raised against synthetic peptide of human POMC.

Immunogen A synthetic peptide corresponding to amino acids 25-39 of human POMC.

Sequence NGAEDESAFAFPLEF

Host Mouse

Theoretical MW (kDa) ~5, ~30

Reactivity Human

Form Liquid

Purification Protein A/G purification

Isotype IgG1

Recommend Usage
 Flow Cytometry (0.5-1 ug/10⁶ cells)
 Immunofluorescence (1-2 ug/mL)
 Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL)
 The optimal working dilution should be determined by the end user.

Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pituitary gland with POMC monoclonal antibody, clone CLIP/1407 (Cat # MAB14873).

- Immunofluorescence

- Flow Cytometry

Gene Info — POMC

Entrez GeneID	5443
Protein Accession#	P01189
Gene Name	POMC
Gene Alias	ACTH, CLIP, LPH, MSH, NPP, POC
Gene Description	proopiomelanocortin
Omim ID	176830 609830
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a polypeptide hormone precursor that undergoes extensive, tissue-specific, post-translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. There are eight potential cleavage sites within the polypeptide precursor and, depending on tissue type and the available convertases, processing may yield as many as ten biologically active peptides involved in diverse cellular functions. The encoded protein is synthesized mainly in corticotroph cells of the anterior pituitary where four cleavage sites are used; adrenocorticotrophin, essential for normal steroidogenesis and the maintenance of normal adrenal weight, and lipotropin beta are the major end products. In other tissues, including the hypothalamus, placenta, and epithelium, all cleavage sites may be used, giving rise to peptides with roles in pain and energy homeostasis, melanocyte stimulation, and immune modulation. These include several distinct melanotropins, lipotropins, and endorphins that are contained within the adrenocorticotrophin and beta-lipotropin peptides. Mutations in this gene have been associated with early onset obesity, adrenal insufficiency, and red hair pigmentation. Alternatively spliced transcript variants encoding the same protein have been described. [provided by RefSeq]

Other Designations

OTTHUMP00000119991|adrenocorticotrophic hormone|adrenocorticotropin|alpha-MSH|alpha-melanocyte-stimulating hormone|beta-LPH|beta-MSH|beta-endorphin|beta-melanocyte-stimulating hormone|corticotropin-like intermediary peptide|gamma-LPH|gamma-MSH|lipotropin b

Publication Reference

- [Coexpression of galanin and adrenocorticotrophic hormone in human pituitary and pituitary adenomas.](#)

Hsu DW, Hooi SC, Hedley-Whyte ET, Strauss RM, Kaplan LM.

The American Journal of Pathology 1991 Apr; 138(4):897.

Pathway

- [Adipocytokine signaling pathway](#)
- [Melanogenesis](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Adenocarcinoma](#)
- [Alcoholism](#)
- [Anorexia Nervosa](#)
- [Asthma](#)

- [Atherosclerosis](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Body Weight](#)
- [Breast Neoplasms](#)
- [Bulimia](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Susceptibility](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fatigue Syndrome](#)
- [Fetal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Hyperparathyroidism](#)
- [Infection](#)
- [Inflammation](#)
- [Lymphoma](#)

- [Malignant melanoma](#)
- [Melanoma](#)
- [Mental Disorders](#)
- [Metabolic Syndrome X](#)
- [Microsatellite Instability](#)
- [Musculoskeletal Diseases](#)
- [NARP](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Pain](#)
- [Parkinson disease](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Psychiatric Status Rating Scales](#)
- [Psychophysiologic Disorders](#)
- [Puberty](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Somatoform Disorders](#)
- [Substance-Related Disorders](#)
- [Thinness](#)

- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Translocation](#)
- [Weight Loss](#)