


FN1 monoclonal antibody, clone SPM539

Catalog # MAB15190 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pancreatic cancer with FN1 monoclonal antibody, clone SPM539 (Cat # MAB15190).

Specification

Product Description	Mouse monoclonal antibody raised against native human FN1.
Immunogen	Native purified FN1 from human serum.
Host	Mouse
Theoretical MW (kDa)	220, 440
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).

Storage Instruction

Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human pancreatic cancer with FN1 monoclonal antibody, clone SPM539 (Cat # MAB15190).

- Immunofluorescence
- Flow Cytometry

Gene Info — FN1

Entrez GeneID

[2335](#)

Protein Accession#

[P02751](#)

Gene Name

FN1

Gene Alias

CIG, DKFZp686F10164, DKFZp686H0342, DKFZp686I1370, DKFZp686O13149, ED-B, FINC, FN, FNZ, GFND, GFND2, LETS, MSF

Gene Description

fibronectin 1

Omim ID

[135600](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes fibronectin, a glycoprotein present in a soluble dimeric form in plasma, and in a dimeric or multimeric form at the cell surface and in extracellular matrix. Fibronectin is involved in cell adhesion and migration processes including embryogenesis, wound healing, blood coagulation, host defense, and metastasis. The gene has three regions subject to alternative splicing, with the potential to produce 20 different transcript variants. However, the full-length nature of some variants has not been determined. [provided by RefSeq]

Other Designations

cold-insoluble globulin|migration-stimulating factor

Publication Reference

- [Monoclonal antibody against human fibronectin which inhibits cell attachment.](#)

Schoen RC, Bentley KL, Klebe RJ.

Hybridoma 1982 Feb; 1(2):99.

Pathway

- [ECM-receptor interaction](#)
- [Focal adhesion](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Small cell lung cancer](#)

Disease

- [Atherosclerosis](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chorioamnionitis](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coronary Disease](#)
- [Cryoglobulinemia](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)

- [Hepatitis C](#)
- [Kidney Failure](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Nephrolithiasis](#)
- [Obstetric Labor](#)
- [Ovarian Neoplasms](#)
- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)
- [Schizophrenia](#)
- [Thyroid Neoplasms](#)