


BCL10 monoclonal antibody, clone SPM520

Catalog # MAB15215 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with BCL10 monoclonal antibody, clone SPM520 (Cat # MAB15215).

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant human BCL10.
Immunogen	Recombinant protein corresponding to amino acids 122-168 of human BCL10.
Host	Mouse
Theoretical MW (kDa)	33
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) Western Blotting (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS.

Storage Instruction

Store at -20 to -80°C.
Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with BCL10 monoclonal antibody, clone SPM520 (Cat # MAB15215).

- Immunofluorescence
- Flow Cytometry

Gene Info — BCL10

Entrez GeneID	8915
Protein Accession#	O95999
Gene Name	BCL10
Gene Alias	CARMEN, CIPER, CLAP, c-E10, mE10
Gene Description	B-cell CLL/lymphoma 10
Omim ID	603517
Gene Ontology	Hyperlink
Other Designations	CARD containing molecule enhancing NF-kB CARD-containing apoptotic signaling protein CARD-containing proapoptotic protein CARD-like apoptotic protein OTTHUMP00000011647 OTTHUMP00000036080 caspase-recruiting domain-containing protein

Publication Reference

- [BCL10 expression in normal and neoplastic lymphoid tissue. Nuclear localization in MALT lymphoma.](#)

Ye H, Dogan A, Karran L, Willis TG, Chen L, Wlodarska I, Dyer MJ, Isaacson PG, Du MQ.

The American Journal of Pathology 2000 Oct; 157(4):1147.

Application: IHC-P, WB-Ce, WB-Ti, WB-Tr, Human, HEK 293 cells, MALT lymphoma, Tonsil

Pathway

- [B cell receptor signaling pathway](#)
- [T cell receptor signaling pathway](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Neoplasm Metastasis](#)
- [Neoplasms](#)
- [Occupational Diseases](#)
- [Testicular Neoplasms](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)