
# WHSC1 monoclonal antibody, clone CL1063


Catalog # MAB15663 Size 100 uL

## Applications



### Western Blot (Cell lysate)

Western Blot analysis of U-251 MG cell lysate with WHSC1 monoclonal antibody, clone CL1063 (Cat # MAB15663).



#### Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with WHSC1 monoclonal antibody, clone CL1063 (Cat # MAB15663) shows nuclear positivity in the reaction centrum cells.

Specification	
Product Description	Mouse monoclonal antibody raised against partial recombinant human WHSC1.
Immunogen	Recombinant protein corresponding to human WHSC1.
Epitope	This antibody binds to an epitope located within the peptide sequence ALPFIPADKL as determined by overlapping synthetic peptides.
Sequence	SANGKTPSCEVNRECSVFLSKAQLSSSLQEGVMQKFNGHDALPFIPADKLKDLTSRVFNGEPGA HDAKLRFESQEMKGIGTPPNTTPIKNGSPEIKLKITKTYMNGKPLFESSICGD
Host	Mouse

😵 Abnova

### **Product Information**

Reactivity	Human
Form	Liquid
Purification	Protein A purification
lsotype	lgG2b
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:500-1:1000) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

# Applications

• Western Blot (Cell lysate)

Western Blot analysis of U-251 MG cell lysate with WHSC1 monoclonal antibody, clone CL1063 (Cat # MAB15663).

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with WHSC1 monoclonal antibody, clone CL1063 (Cat # MAB15663) shows nuclear positivity in the reaction centrum cells.

Gene Info — WHSC1		
Entrez GenelD	<u>7468</u>	
Protein Accession#	<u>O96028</u>	
Gene Name	WHSC1	
Gene Alias	FLJ23286, KIAA1090, MGC176638, MMSET, NSD2, REIIBP, TRX5, WHS	
Gene Description	Wolf-Hirschhorn syndrome candidate 1	
Omim ID	<u>602952</u>	
Gene Ontology	<u>Hyperlink</u>	

<b>Abnova</b>	Product Information
Gene Summary	This gene encodes a protein that contains four domains present in other developmental proteins: a PWWP domain, an HMG box, a SET domain, and a PHD-type zinc finger. It is expressed ubiqui tously in early development. Wolf-Hirschhorn syndrome (WHS) is a malformation syndrome assoc iated with a hemizygous deletion of the distal short arm of chromosome 4. This gene maps to the 165 kb WHS critical region and has also been involved in the chromosomal translocation t(4;14)( p16.3;q32.3) in multiple myelomas. Alternative splicing of this gene results in multiple transcript va riants encoding different isoforms. Some transcript variants are nonsense-mediated mRNA (NMD ) decay candidates, hence not represented as reference sequences. [provided by RefSeq
Other Designations	IL5 promoter REII region-binding protein OTTHUMP00000149955 OTTHUMP00000159146 Wolf -Hirschhorn syndrome candidate 1 protein multiple myeloma SET domain containing protein type I II trithorax/ash1-related protein 5

# Pathway

• Lysine degradation

### Disease

- Cleft Lip
- Cleft Palate
- Kidney Failure