

Ferritin monoclonal antibody, clone 4C11B10

Catalog # MAB1567 Size 1 mg

Specification	
Product Description	Mouse monoclonal antibody raised against full length native ferritin.
Immunogen	Native purified ferritin from human liver.
Host	Mouse
Reactivity	Human
Form	Liquid
Isotype	lgG1
Quality Control Testing	Antibody Reactive Against Native Purifid Protein.
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	In 15 mM potassium phosphate buffer, 0.85% NaCl, pH 7.2 (0.05% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Enzyme-linked Immunoabsorbent Assay

Gene	Info	_	FI	ТН	1

Entrez GenelD	<u>2495</u>
Gene Name	FTH1



Product Information

Gene Alias	FHC, FTH, FTHL6, MGC104426, PIG15, PLIF
Gene Description	ferritin, heavy polypeptide 1
Omim ID	134770
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes the heavy subunit of ferritin, the major intracellular iron storage protein in prok aryotes and eukaryotes. It is composed of 24 subunits of the heavy and light ferritin chains. Variati on in ferritin subunit composition may affect the rates of iron uptake and release in different tissue s. A major function of ferritin is the storage of iron in a soluble and nontoxic state. Defects in ferritin proteins are associated with several neurodegenerative diseases. This gene has multiple pseudogenes. Several alternatively spliced transcript variants have been observed, but their biological validity has not been determined. [provided by RefSeq
Other Designations	apoferritin placenta immunoregulatory factor proliferation-inducing protein 15

Gene Info — FTL	
Entrez GenelD	<u>2512</u>
Gene Name	FTL
Gene Alias	MGC71996
Gene Description	ferritin, light polypeptide
Omim ID	<u>134790</u> <u>600886</u> <u>606159</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes the light subunit of the ferritin protein. Ferritin is the major intracellular iron stor age protein in prokaryotes and eukaryotes. It is composed of 24 subunits of the heavy and light fer ritin chains. Variation in ferritin subunit composition may affect the rates of iron uptake and releas e in different tissues. A major function of ferritin is the storage of iron in a soluble and nontoxic stat e. Defects in this light chain ferritin gene are associated with several neurodegenerative diseases and hyperferritinemia-cataract syndrome. This gene has multiple pseudogenes. [provided by Ref Seq
Other Designations	L apoferritin ferritin L subunit ferritin L-chain ferritin light chain ferritin light polypeptide-like 3

Pathway

Porphyrin and chlorophyll metabolism



Disease

- Alzheimer disease
- Cognition
- Genetic Predisposition to Disease
- Huntington disease
- Lung Neoplasms
- Parkinson disease
- Parkinson disease