


ALPP monoclonal antibody, clone P16-D

Catalog # MAB15937 Size 200 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human seminoma with ALPP monoclonal antibody, clone P16-D (Cat # MAB15937).

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human ALPP.
Immunogen	A synthetic peptide corresponding to internal region of human ALPP.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	EVAC purification
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:100-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In 20 mM Tris-HCI buffer, pH 8.0 (20 mg/mL BSA, 0.05% Sodium Azide).
Storage Instruction	Store at 4°C. Do not freeze.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

😵 Abnova

Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human seminoma with ALPP monoclonal antibody, clone P16-D (Cat # MAB15937).

Gene Info — ALPP	
Entrez GenelD	250
Protein Accession#	<u>P05187</u>
Gene Name	ALPP
Gene Alias	ALP, FLJ61142, PALP, PLAP
Gene Description	alkaline phosphatase, placental (Regan isozyme)
Omim ID	<u>171800</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	There are at least four distinct but related alkaline phosphatases: intestinal, placental, placental-lik e, and liver/bone/kidney (tissue non-specific). The first three are located together on chromosome 2 while the tissue non-specific form is located on chromosome 1. The product of this gene is a me mbrane bound glycosylated enzyme, also referred to as the heat stable form, that is expressed pri marily in the placenta although it is closely related to the intestinal form of the enzyme as well as to the placental-like form. The coding sequence for this form of alkaline phosphatase is unique in tha t the 3' untranslated region contains multiple copies of an Alu family repeat. In addition, this gene i s polymorphic and three common alleles (type 1, type 2 and type 3) for this form of alkaline phosp hatase have been well characterized. [provided by RefSeq

Pathway

- Folate biosynthesis
- gamma-Hexachlorocyclohexane degradation
- <u>Metabolic pathways</u>

Disease

😵 Abnova

Product Information

- Birth Weight
- Fetal Death