


PRKCB1 monoclonal antibody, clone N20-N (FITC)

Catalog # MAB15991 Size 1000 uL

Applications



Flow Cytometry

Flow cytometric analysis of human peripheral blood lymphocytes with PRKCB1 monoclonal antibody, clone N20-N (FITC) (Cat # MAB15991).

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human PRKCB1.
Host	Rabbit
Reactivity	Human
Form	Liquid
Conjugation	FITC
Purification	EVAC purification
lsotype	lgG
Recommend Usage	Flow Cytometry The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (10 mg/mL BSA, 0.05% Sodium Azide).
Storage Instruction	Store in the dark at 4°C. Avoid prolonged exposure to light. Do not freeze.

😵 Abnova

Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Flow Cytometry

Flow cytometric analysis of human peripheral blood lymphocytes with PRKCB1 monoclonal antibody, clone N20-N (FITC) (Cat # MAB15991).

Gene Info — PRKCB	
Entrez GenelD	<u>5579</u>
Protein Accession#	<u>P05771</u>
Gene Name	PRKCB
Gene Alias	MGC41878, PKC-beta, PKCB, PRKCB1, PRKCB2
Gene Description	protein kinase C, beta
Omim ID	<u>176970</u>
Gene Ontology	Hyperlink
Gene Summary	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be a ctivated by calcium and second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoter s. Each member of the PKC family has a specific expression profile and is believed to play a disti nct role in cells. The protein encoded by this gene is one of the PKC family members. This protein kinase has been reported to be involved in many different cellular functions, such as B cell activati on, apoptosis induction, endothelial cell proliferation, and intestinal sugar absorption. Studies in m ice also suggest that this kinase may also regulate neuronal functions and correlate fear-induced conflict behavior after stress. Alternatively spliced transcript variants encoding distinct isoforms ha ve been reported. [provided by RefSeq
Other Designations	protein kinase C, beta 1 polypeptide

Pathway

- <u>B cell receptor signaling pathway</u>
- Calcium signaling pathway

😵 Abnova

- Chemokine signaling pathway
- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- Fc gamma R-mediated phagocytosis
- Focal adhesion
- <u>Gap junction</u>
- Glioma
- <u>GnRH signaling pathway</u>
- Leukocyte transendothelial migration
- Long-term depression
- Long-term potentiation
- MAPK signaling pathway
- Melanogenesis
- Natural killer cell mediated cytotoxicity
- Non-small cell lung cancer
- Pathways in cancer
- Phosphatidylinositol signaling system
- Tight junction
- <u>Vascular smooth muscle contraction</u>
- VEGF signaling pathway
- <u>Vibrio cholerae infection</u>
- Wnt signaling pathway

Disease

- <u>Albuminuria</u>
- Autistic Disorder

😵 Abnova

- Cardiovascular Diseases
- Diabetes Mellitus
- Diabetic Angiopathies
- Diabetic Nephropathies
- Diabetic Retinopathy
- Disease Progression
- Edema
- Epilepsies
- Genetic Predisposition to Disease
- Kidney Failure
- Liver Cirrhosis
- Proteinuria
- <u>Syndrome</u>
- <u>Tobacco Use Disorder</u>