

TNFRSF10B monoclonal antibody, clone TR2.21

Catalog # MAB16096

Size 100 ug

Specification

Product Description	Mouse monoclonal antibody raised against recombinant human TNFRSF10B.
Immunogen	Recombinant protein corresponding to human TNFRSF10B (DR5).
Host	Mouse
Reactivity	Human
Form	Liquid
Purification	>95% (SDS-PAGE)
Isotype	IgG1
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (20 ug/mL) Western Blot (1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (10% glycerol, 0.02% sodium azide).
Storage Instruction	For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Gene Info — TNFRSF10B

Entrez GeneID	8795
Protein Accession#	O14763
Gene Name	TNFRSF10B
Gene Alias	CD262, DR5, KILLER, KILLER/DR5, TRAIL-R2, TRAILR2, TRICK2, TRICK2A, TRICK2B, TRICK B, ZTNFR9
Gene Description	tumor necrosis factor receptor superfamily, member 10b
Omim ID	275355 603612
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene. [provided by RefSeq]
Other Designations	Fas-like protein OTTHUMP00000123492 TNF-related apoptosis-inducing ligand receptor 2 TRAIL receptor 2 apoptosis inducing protein TRICK2A/2B apoptosis inducing receptor TRAIL-R2 cytotoxic TRAIL receptor-2 death domain containing receptor for TRAIL/Apo-2L d

Pathway

- [Apoptosis](#)
- [Cytokine-cytokine receptor interaction](#)
- [Natural killer cell mediated cytotoxicity](#)
- [p53 signaling pathway](#)

Disease

- [Asthma](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)

- [Cleft Lip](#)
- [Cleft Palate](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Lymphoproliferative Disorders](#)
- [Multiple Myeloma](#)
- [Neoplasm Metastasis](#)
- [Neoplasms](#)
- [Occupational Diseases](#)
- [Prostatic Neoplasms](#)
- [Recurrence](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)