


4-Hydroxynonenal monoclonal antibody, clone 12F7 (Biotin)

Catalog # MAB16485 Size 100 ug

Applications



Immunocytochemistry

Immunocytochemical staining of HEK293 with 4-Hydroxynonenal monoclonal antibody, clone 12F7 (Biotin) (Cat # MAB16485). (A, B) DAPI (blue) nuclear stain, (C, D) Phalloidin Alex Fluor 633 F-Actin stain, (E, F) 4-Hydroxynonenal Antibody and (G, H) Composite. (A, C, E, G) Untreated and (B, D, F, H) Cells cultured overnight with 50 uM H₂O₂.

Specification

Product Description	Mouse monoclonal antibody raised against synthetic 4-Hydroxynonenal (4-HNE).
Immunogen	Synthetic 4-Hydroxynonenal modified Keyhole Limpet Hemocyanin (KLH).
Host	Mouse
Reactivity	Human
Form	Liquid

Conjugation	Biotin
Purification	Protein G purification
Isotype	IgG1
Recommend Usage	ELISA (1:1000) Immunocytochemistry (1:50) Immunofluorescence (1:50) Western Blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (50% glycerol, 0.09% sodium azide).
Storage Instruction	Store at -20°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunocytochemistry

Immunocytochemical staining of HEK293 with 4-Hydroxynonenal monoclonal antibody, clone 12F7 (Biotin) (Cat # MAB16485). (A, B) DAPI (blue) nuclear stain, (C, D) Phalloidin Alex Fluor 633 F-Actin stain, (E, F) 4-Hydroxynonenal Antibody and (G, H) Composite. (A, C, E, G) Untreated and (B, D, F, H) Cells cultured overnight with 50 uM H₂O₂.
- Immunofluorescence
- Enzyme-linked Immunoabsorbent Assay