


BIN1 monoclonal antibody, clone 3B6A4


Catalog # MAB17312 Size 100 ug

Applications




Western Blot

Western Blot analysis of human BIN1 recombinant protein.



Western Blot


Western Blot analysis of (1) HeLa, (2) C2C12, (3) A431, and (4) HEK293 cell lysate.



Enzyme-linked Immunoabsorbent Assay

ELISA analysis of BIN1 monoclonal antibody.





Flow Cytometry

Flow cytometric analysis of HeLa cells using BIN1 mouse monoclonal antibody (green) and negative control (red).

Specification	
Product Description	Mouse monoclonal antibody raised against recombinant human BIN1.
Immunogen	Recombinant protein corresponding to amino acids 189-398 of of human BIN1 from E. coli.
Host	Mouse
Theoretical MW (kDa)	64.7
Reactivity	Human, Mouse
Form	Liquid
Isotype	lgG2b
Recommend Usage	ELISA (1:10000) Flow Cytometry (1:200-400) Western Blot (1:500-1:2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.05% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot

Western Blot analysis of human BIN1 recombinant protein.



Western Blot

Western Blot analysis of (1) HeLa, (2) C2C12, (3) A431, and (4) HEK293 cell lysate.

Enzyme-linked Immunoabsorbent Assay

ELISA analysis of BIN1 monoclonal antibody.

Flow Cytometry

Flow cytometric analysis of HeLa cells using BIN1 mouse monoclonal antibody (green) and negative control (red).

Gene Info — BIN1	
Entrez GenelD	<u>274</u>
Gene Name	BIN1
Gene Alias	AMPH2, AMPHL, DKFZp547F068, MGC10367, SH3P9
Gene Description	bridging integrator 1
Omim ID	<u>255200</u> <u>601248</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes several isoforms of a nucleocytoplasmic adaptor protein, one of which was initially identified as a MYC-interacting protein with features of a tumor suppressor. Isoforms that are expressed in the central nervous system may be involved in synaptic vesicle endocytosis and may interact with dynanim, synaptojanin, endophilin, and clathrin. Isoforms that are expressed in muscle and ubiquitously expressed isoforms localize to the cytoplasm and nucleus and activate a casp ase-independent apoptotic process. Studies in mouse suggest that this gene plays an important role in cardiac muscle development. Alternate splicing of the gene results in ten transcript variants encoding different isoforms. Aberrant splice variants expressed in tumor cell lines have also been described. [provided by RefSeq
Other Designations	OTTHUMP00000162179 OTTHUMP00000162183 amphiphysin II amphiphysin-like box dependa nt MYC interacting protein 1

Disease

- Alzheimer Disease
- Cerebral Hemorrhage
- Cognition Disorders
- Genetic Predisposition to Disease



- Hypertension
- Intracranial Hemorrhages
- Neuropsychological Tests
- Stroke
- Subarachnoid Hemorrhage