


# 4-Hydroxynonenal monoclonal antibody, clone 12F7 (FITC)

Catalog # MAB17401      Size 100 ug

## Applications



### Immunocytochemistry

Immunocytochemical staining of HEK293 with 4-Hydroxynonenal monoclonal antibody, clone 12F7 (FITC) (Cat # MAB17401). (A, B) DAPI (blue) nuclear stain. (C, D) Phalloidin Alex Fluor 633 F-Actin stain. (E, F) 4-Hydroxynonenal Antibody. (G, H) Composite. (A, C, E, G) Untreated and (B, D, F, H) Cells cultured overnight with 50 uM H<sub>2</sub>O<sub>2</sub>.

## Specification

<b>Product Description</b>	Mouse monoclonal antibody raised against synthetic 4-Hydroxynonenal (4-HNE).
<b>Immunogen</b>	Synthetic 4-Hydroxynonenal modified Keyhole Limpet Hemocyanin (KLH).
<b>Host</b>	Mouse
<b>Form</b>	Liquid
<b>Conjugation</b>	FITC

<b>Purification</b>	Protein G purification
<b>Isotype</b>	IgG1
<b>Recommend Usage</b>	ELISA (1:1000) Immunocytochemistry (1:50) Immunofluorescence (1:50) Western Blot (1:1000) The optimal working dilution should be determined by the end user.
<b>Storage Buffer</b>	In PBS, pH 7.4 (50% glycerol, 0.09% sodium azide).
<b>Storage Instruction</b>	Store at -20°C.
<b>Note</b>	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot
- Immunocytochemistry  
Immunocytochemical staining of HEK293 with 4-Hydroxynonenal monoclonal antibody, clone 12F7 (FITC) (Cat # MAB17401). (A, B) DAPI (blue) nuclear stain. (C, D) Phalloidin Alex Fluor 633 F-Actin stain. (E, F) 4-Hydroxynonenal Antibody. (G, H) Composite. (A, C, E, G) Untreated and (B, D, F, H) Cells cultured overnight with 50  $\mu$ M H<sub>2</sub>O<sub>2</sub>.
- Immunofluorescence
- Enzyme-linked Immunoabsorbent Assay