


BRD2 monoclonal antibody, clone 1H6B12


Catalog # MAB17494 Size 100 ug

Applications



Western Blot (Transfected lysate)

Western blot analysis of (1) HEK293 cells, (2) BRD2-hlgGfc transfected HEK293 cell lysate.



Enzyme-linked Immunoabsorbent Assay

ELISA analysis of BRD2 monoclonal antibody, clone 1H6B12.

Specification

Product Description	Mouse monoclonal antibody raised against recombinant human BRD2.
Immunogen	Recombinant protein corresponding to amino acid 227-364 of human BRD2 from <i>E. coli</i> .
Host	Mouse
Theoretical MW (kDa)	88
Reactivity	Human
Form	Liquid
Isotype	IgG1

Recommend Usage	ELISA (1:10000) Western Blot (1:500-1:2000) Immunohistochemistry Immunocytochemistry Flow Cytometry The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.05% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Transfected lysate)

Western blot analysis of (1) HEK293 cells, (2) BRD2-hlgGFc transfected HEK293 cell lysate.

- Enzyme-linked Immunoabsorbent Assay

ELISA analysis of BRD2 monoclonal antibody, clone 1H6B12.

Gene Info — BRD2

Entrez GeneID	6046
Gene Name	BRD2
Gene Alias	D6S113E, DKFZp686N0336, FLJ31942, FSH, FSRG1, KIAA9001, NAT, RING3, RNF3
Gene Description	bromodomain containing 2
Omim ID	601540
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a transcriptional regulator that belongs to the BET (bromodomains and extra terminal domain) family of proteins. This protein associates with transcription complexes and with acetylated chromatin during mitosis, and it selectively binds to the acetylated lysine-12 residue of histone H4 via its two bromodomains. The gene maps to the major histocompatibility complex (MHC) class II region on chromosome 6p21.3, but sequence comparison suggests that the protein is not involved in the immune response. This gene has been implicated in juvenile myoclonic epilepsy, a common form of epilepsy that becomes apparent in adolescence. Multiple alternatively spliced variants have been described for this gene, but the full-length nature of some of these variants has not been determined. [provided by RefSeq]

Other Designations

OTTHUMP00000029350|bromodomain-containing 2|female sterile homeotic-related gene 1

Disease

- [Abortion](#)
- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Epilepsy](#)
- [Genetic Predisposition to Disease](#)
- [Lupus Erythematosus](#)
- [Myoclonic Epilepsy](#)
- [Neuroblastoma](#)
- [Oligospermia](#)
- [Photosensitivity Disorders](#)