CDC37 monoclonal antibody, clone 6B3B5

Catalog # MAB17496 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of (1) K562 cell, (2) LNcap cell, (3) A431 cell, (4) HEK293 cell with CDC37 monoclonal antibody.



Western Blot (Transfected lysate)

Western blot analysis of (1) HEK293 cells, (2) CDC37-hIgGFc transfected HEK293 cell lysate.



Enzyme-linked Immunoabsorbent Assay

ELISA analysis of CDC37 monoclonal antibody, clone 6B3B5.

Specification

Product Description	Mouse monoclonal antibody raised against recombinant human CDC37.

Immunogen	Recombinant protein corresponding to amino acid 241-378 of human CDC37 from *E. coli*.
Host	Mouse
Theoretical MW (kDa)	44.5
Reactivity	Human
Form	Liquid
Isotype	IgG2a
Recommend Usage	ELISA (1:10000) Western Blot (1:500-1:2000) Immunohistochemistry Immunocytochemistry Flow Cytometry The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.05% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

  Western blot analysis of (1) K562 cell, (2) LNcap cell, (3) A431 cell, (4) HEK293 cell with CDC37 monoclonal antibody.

- Western Blot (Transfected lysate)

  Western blot analysis of (1) HEK293 cells, (2) CDC37-hIgGFc transfected HEK293 cell lysate.

- Enzyme-linked Immunoabsorbent Assay

  ELISA analysis of CDC37 monoclonal antibody, clone 6B3B5.

Gene Info — CDC37

Entrez GeneID	11140
Gene Name	CDC37
Gene Alias	P50CDC37

Gene Description	cell division cycle 37 homolog (S. cerevisiae)
Omim ID	605065
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is highly similar to Cdc 37, a cell division cycle control protein of Sacchromyces cerevisiae. This protein is a molecular chaperone with specific function in cell sign al transduction. It has been shown to form complex with Hsp90 and a variety of protein kinases inc luding CDK4, CDK6, SRC, RAF-1, MOK, as well as eIF2 alpha kinases. It is thought to play a criti cal role in directing Hsp90 to its target kinases. [provided by RefSeq
Other Designations	CDC37 (cell division cycle 37, S. cerevisiae, homolog)|CDC37 cell division cycle 37 homolog|Hs p90 co-chaperone Cdc37|cell division cycle 37 protein

Disease

- Adenocarcinoma
- Genetic Predisposition to Disease
- Pancreatic Neoplasms