


CBL (phospho Y774) monoclonal antibody, clone R3B8 (PE)

Catalog # MAB18848 Size 10 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of Daudi cells with CBL (phospho Y774) monoclonal antibody, clone R3B8 (PE) (Cat # MAB18848). Cell only (blue) or untreated (red) or treated with IFNa + IL-4 + pervanadate (green).

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human CBL.
Immunogen	A synthetic phosphopeptide corresponding to residues surrounding Y774 of human CBL.
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Conjugation	PE
Purification	Protein A/G purification
Isotype	lgG1, kappa
Recommend Usage	Flow Cytometry (5 uL/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (0.2% BSA, 0.09% sodium azide).
Storage Instruction	Store at 4°C.



Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

Flow Cytometry

Flow cytometric analysis of Daudi cells with CBL (phospho Y774) monoclonal antibody, clone R3B8 (PE) (Cat # MAB18848). Cell only (blue) or untreated (red) or treated with IFNa + IL-4 + pervanadate (green).

Gene Info — CBL	
Entrez GenelD	<u>867</u>
Gene Name	CBL
Gene Alias	C-CBL, CBL2, RNF55
Gene Description	Cas-Br-M (murine) ecotropic retroviral transforming sequence
Omim ID	<u>165360</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The cbl oncogene was first identified as part of a transforming retrovirus which induces mouse pr e-B and pro-B cell lymphomas. As an adaptor protein for receptor protein-tyrosine kinases, it posi tively regulates receptor protein-tyrosine kinase ubiquitination in a manner dependent upon its var iant SH2 and RING finger domains. Ubiquitination of receptor protein-tyrosine kinases terminates signaling by marking active receptors for degradation. [provided by RefSeq
Other Designations	oncogene CBL2

Pathway

- Chronic myeloid leukemia
- Endocytosis
- ErbB signaling pathway
- Insulin signaling pathway
- Jak-STAT signaling pathway
- Pathways in cancer



- T cell receptor signaling pathway
- <u>Ubiquitin mediated proteolysis</u>

Disease

- Diabetes Mellitus
- Disease Progression
- Genetic Predisposition to Disease
- Leukemia
- Tobacco Use Disorder