


H2AFX (phospho S139) monoclonal antibody, clone 1B3 (PE)

Catalog # MAB18898 Size 10 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of 293T cells with H2AFX (phospho S139) monoclonal antibody, clone 1B3 (PE) (Cat # MAB18898). Unstained cells (blue) or stained untreated (red) or treated with UV and TPA (green).

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human H2AFX.
Immunogen	A synthetic phosphopeptide corresponding to residues surrounding S139 of human H2AFX.
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Conjugation	PE
Purification	Protein A/G purification
Isotype	lgG1, kappa
Recommend Usage	Flow Cytometry (5 uL/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (0.2% BSA, 0.09% sodium azide).



Product Information

Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Flow Cytometry

Flow cytometric analysis of 293T cells with H2AFX (phospho S139) monoclonal antibody, clone 1B3 (PE) (Cat # MAB18898). Unstained cells (blue) or stained untreated (red) or treated with UV and TPA (green).

Gene Info — H2AFX	
Entrez GenelD	3014
Gene Name	H2AFX
Gene Alias	H2A.X, H2A/X, H2AX
Gene Description	H2A histone family, member X
Omim ID	601772
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chro mosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, an d H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and f unctions in the compaction of chromatin into higher order structures. This gene encodes a member of the histone H2A family, and generates two transcripts through the use of the conserved stem-loop termination motif, and the polyA addition motif. [provided by RefSeq
Other Designations	H2AX histone

Pathway

• Systemic lupus erythematosus

Disease



- Azoospermia
- Breast cancer
- Breast Neoplasms
- DNA Damage
- Genetic Predisposition to Disease
- Lymphoma
- Oligospermia
- Ovarian cancer
- Prostate cancer
- Prostatic Neoplasms
- Urinary Bladder Neoplasms