


BMP4 monoclonal antibody, clone BBB-2


Catalog # MAB19627 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of HeLa cell lysate with BMP4 monoclonal antibody.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of paraffin-embedded human breast cancer with BMP4 monoclonal antibody.

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human BMP4.
Immunogen	A synthetic peptide corresponding to human BMP4.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	IgG

Recommend Usage	Immunocytochemistry (1:50-1:200) Immunofluorescence (1:50-1:200) Immunohistochemistry (1:50-1:200) Immunoprecipitation (1:50) Flow Cytometry (1:50) Western Blot (1:500-1:2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instruction	Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of HeLa cell lysate with BMP4 monoclonal antibody.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of paraffin-embedded human breast cancer with BMP4 monoclonal antibody.

- Immunocytochemistry

- Immunofluorescence

- Immunoprecipitation

- Flow Cytometry

Gene Info — BMP4

Entrez GeneID	652
Protein Accession#	P12644
Gene Name	BMP4
Gene Alias	BMP2B, BMP2B1, MCOPS6, ZYME
Gene Description	bone morphogenetic protein 4

Omim ID [112262](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the bone morphogenetic protein family which is part of the transforming growth factor-beta superfamily. The superfamily includes large families of growth and differentiation factors. Bone morphogenetic proteins were originally identified by an ability of demineralized bone extract to induce endochondral osteogenesis in vivo in an extraskeletal site. This particular family member plays an important role in the onset of endochondral bone formation in humans, and a reduction in expression has been associated with a variety of bone diseases, including the heritable disorder Fibrodysplasia Ossificans Progressiva. Alternative splicing in the 5' untranslated region of this gene has been described and three variants are described, all encoding an identical protein. [provided by RefSeq]

Other Designations bone morphogenetic protein 2B

Pathway

- [Basal cell carcinoma](#)
- [Cytokine-cytokine receptor interaction](#)
- [Hedgehog signaling pathway](#)
- [Pathways in cancer](#)
- [TGF-beta signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Anemia](#)
- [Bone Diseases](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coloboma](#)
- [Colorectal Neoplasms](#)

- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Gaucher disease](#)
- [Genetic Predisposition to Disease](#)
- [Hemochromatosis](#)
- [Hypospadias](#)
- [Kidney Failure](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Metabolic Syndrome X](#)
- [Microphthalmos](#)
- [Neoplasms](#)
- [Neural Tube Defects](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Polycystic Ovary Syndrome](#)
- [Prenatal Exposure Delayed Effects](#)
- [Puberty](#)
- [Skin Neoplasms](#)
- [Thrombophilia](#)

- [Tobacco Use Disorder](#)