


ITGA2B monoclonal antibody, clone AAGH-9

Catalog # MAB19839 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of human fetal liver lysate with ITGA2B monoclonal antibody.

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human ITGA2B.
Immunogen	A synthetic peptide corresponding to human ITGA2B.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1:200) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instruction	Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of human fetal liver lysate with ITGA2B monoclonal antibody.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Gene Info — ITGA2B

Entrez GeneID [3674](#)

Protein Accession# [P08514](#)

Gene Name ITGA2B

Gene Alias CD41, CD41B, GP2B, GPIIb, GTA, HPA3

Gene Description integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41)

Omim ID [273800 607759](#)

Gene Ontology [Hyperlink](#)

Gene Summary ITGA2B encodes integrin alpha chain 2b. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. Alpha chain 2b undergoes post-translational cleavage to yield disulfide-linked light and heavy chains that join with beta 3 to form a fibronectin receptor or expressed in platelets that plays a crucial role in coagulation. Mutations that interfere with this role result in thrombasthenia. In addition to adhesion, integrins are known to participate in cell-surface mediated signalling. [provided by RefSeq]

Other Designations integrin alpha 2b|platelet fibrinogen receptor, alpha subunit|platelet-specific antigen BAK

Pathway

- [Arrhythmogenic right ventricular cardiomyopathy \(ARVC\)](#)
- [ECM-receptor interaction](#)
- [Focal adhesion](#)

- [Hematopoietic cell lineage](#)
- [Hypertrophic cardiomyopathy \(HCM\)](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Small cell lung cancer](#)

Disease

- [Abortion](#)
- [Acute Chest Syndrome](#)
- [Acute Disease](#)
- [Alzheimer disease](#)
- [Anemia](#)
- [Angina](#)
- [Antiphospholipid Syndrome](#)
- [Arterial Occlusive Diseases](#)
- [Arteriosclerosis](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Cardiovascular Diseases](#)
- [Carotid Stenosis](#)
- [Cerebrovascular Accident](#)
- [Cerebrovascular Disorders](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Coronary Restenosis](#)
- [Coronary Stenosis](#)

- [Coronary Thrombosis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Graft Occlusion](#)
- [Hemorrhage](#)
- [Hypercholesterolemia](#)
- [Hypertension](#)
- [Infant](#)
- [Inflammation](#)
- [Insulin Resistance](#)
- [Intracranial Hemorrhages](#)
- [Ischemic Attack](#)
- [Kidney Failure](#)
- [Lupus Erythematosus](#)
- [Metabolic Syndrome X](#)
- [Myocardial Infarction](#)
- [Myocardial Ischemia](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Pain](#)

- [Postoperative Complications](#)
- [Pre-Eclampsia](#)
- [Prosthesis Failure](#)
- [Recurrence](#)
- [Retinal Vein Occlusion](#)
- [Stroke](#)
- [Thrombasthenia](#)
- [Thromboangiitis Obliterans](#)
- [Thrombocytopenia](#)
- [Thrombophilia](#)
- [Thrombosis](#)
- [Vascular Diseases](#)