


PARP1 monoclonal antibody, clone BHH-16

Catalog # MAB19906 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of Jurkat cell lysate with PARP1 monoclonal antibody.

Specification

Product Description Rabbit monoclonal antibody raised against synthetic peptide of human PARP1.

Immunogen A synthetic peptide corresponding to human PARP1.

Host Rabbit

Reactivity Human

Form Liquid

Purification Affinity purification

Isotype IgG

Recommend Usage

- Flow Cytometry (1:50)
- Immunocytochemistry (1:50-1:200)
- Immunofluorescence (1:50-1:200)
- Immunoprecipitation (1:50)
- The optimal working dilution should be determined by the end user.

Storage Buffer In PBS, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Storage Instruction

Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of Jurkat cell lysate with PARP1 monoclonal antibody.

- Immunocytochemistry

- Immunofluorescence

- Immunoprecipitation

- Flow Cytometry

Gene Info — PARP1

Entrez GeneID[142](#)**Protein Accession#**[P09874](#)**Gene Name**

PARP1

Gene Alias

ADPRT, ADPRT1, PARP, PARP-1, PPOL, pADPRT-1

Gene Description

poly (ADP-ribose) polymerase 1

Omim ID[173870](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a chromatin-associated enzyme, poly(ADP-ribosyl)transferase, which modifies various nuclear proteins by poly(ADP-ribosyl)ation. The modification is dependent on DNA and is involved in the regulation of various important cellular processes such as differentiation, proliferation, and tumor transformation and also in the regulation of the molecular events involved in the recovery of cell from DNA damage. In addition, this enzyme may be the site of mutation in Fanconi anemia, and may participate in the pathophysiology of type I diabetes. [provided by RefSeq]

Other Designations

ADP-ribosyltransferase (NAD⁺; poly (ADP-ribose) polymerase)|ADP-ribosyltransferase NAD(+)|
OTTHUMP00000035663|poly (ADP-ribose) polymerase family, member 1|poly(ADP-ribose) poly
merase|poly(ADP-ribose) synthetase|poly(ADP-ribosyl)transferase

Pathway

- [Base excision repair](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Adenomyoma](#)
- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Ataxia telangiectasia](#)
- [Brain Injuries](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [Diabetic Neuropathies](#)

- [Disease Progression](#)
- [DNA Damage](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Glioma](#)
- [Glomerulonephritis](#)
- [Graft vs Host Disease](#)
- [Helicobacter Infections](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lupus Nephritis](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Macular Degeneration](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Meniere Disease](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Meningococcal Infections](#)
- [Micronuclei](#)
- [Multiple Sclerosis](#)
- [Neoplasms](#)

- [Neuroma](#)
- [Neutropenia](#)
- [Otitis Media](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Papillomavirus Infections](#)
- [Parkinson disease](#)
- [Precancerous Conditions](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Rectal Neoplasms](#)
- [Recurrence](#)
- [Renal Insufficiency](#)
- [Skin Neoplasms](#)
- [Stomach Neoplasms](#)
- [Thyroid Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Werner syndrome](#)