


HIST1H3A (mono methyl R2) monoclonal antibody, clone DFB-8

Catalog # MAB20158 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of HeLa cell lysate.

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human HIST1H3A (mono methyl R2).
Immunogen	A synthetic peptide corresponding to human HIST1H3A (mono methyl R2).
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Purification	Affinity purification
Isotype	lgG
Recommend Usage	Immunocytochemistry (1:50-200) Immunofluorescence (1:50-200) Western Blot (1:500-2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide).
Storage Instruction	Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and st ored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.





Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)
 - Western Blot (Cell lysate) analysis of HeLa cell lysate.
- Immunocytochemistry
- Immunofluorescence

Gene Info — HIST1H3A	
Entrez GenelD	8350
Protein Accession#	<u>P68431</u>
Gene Name	HIST1H3A
Gene Alias	H3/A, H3FA
Gene Description	histone cluster 1, H3a
Omim ID	602810
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chro mosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped ar ound a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H 1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA t ails; instead, they contain a palindromic termination element. This gene is found in the large histon e gene cluster on chromosome 6p22-p21.3. [provided by RefSeq
Other Designations	H3 histone family, member A histone 1, H3a

Pathway

• Systemic lupus erythematosus