


PLAT monoclonal antibody, clone AOAC-16

Catalog # MAB20603 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot analysis of human plasma lysate using PLAT monoclonal antibody, clone AOAC-16.

Specification

Product Description Rabbit monoclonal antibody raised against synthetic peptide of human PLAT.

Immunogen A synthetic peptide corresponding to human PLAT.

Host Rabbit

Reactivity Human

Form Liquid

Purification Affinity purification

Isotype IgG

Recommend Usage
Immunohistochemistry (1:50-1:200)
Western Blot (1:500-1:2000)
The optimal working dilution should be determined by the end user.

Storage Buffer In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide).

Storage Instruction Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western Blot analysis of human plasma lysate using PLAT monoclonal antibody, clone AOAC-16.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Gene Info — PLAT

Entrez GeneID [5327](#)

Protein Accession# [P00750](#)

Gene Name PLAT

Gene Alias DKFZp686I03148, T-PA, TPA

Gene Description plasminogen activator, tissue

Omim ID [173370](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes tissue-type plasminogen activator, a secreted serine protease which converts the proenzyme plasminogen to plasmin, a fibrinolytic enzyme. Tissue-type plasminogen activator is synthesized as a single chain which is cleaved by plasmin to a two chain disulfide linked protein. This enzyme plays a role in cell migration and tissue remodeling. Increased enzymatic activity causes hyperfibrinolysis, which manifests as excessive bleeding; decreased activity leads to hypofibrinolysis which can result in thrombosis or embolism. Alternative splicing of this gene results in multiple transcript variants encoding different isoforms. [provided by RefSeq]

Other Designations alteplase|plasminogen activator, tissue type|reteplase|t-plasminogen activator|tissue plasminogen activator (t-PA)

Pathway

- [Complement and coagulation cascades](#)

Disease

- [Alzheimer disease](#)
- [Amphetamine-Related Disorders](#)
- [Aneurysm](#)
- [Arterial Occlusive Diseases](#)
- [Arteriosclerosis](#)
- [Arthritis](#)
- [Atherosclerosis](#)
- [Brain Infarction](#)
- [Brain Ischemia](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cerebral Palsy](#)
- [Cerebrovascular Accident](#)
- [Chorioamnionitis](#)
- [Connective Tissue Diseases](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Duodenal Ulcer](#)
- [Edema](#)
- [Fetal Diseases](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)

- [Hearing Loss](#)
- [Hypertension](#)
- [Infection](#)
- [Inflammation](#)
- [Intracranial Embolism and Thrombosis](#)
- [Ischemia](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Musculoskeletal Diseases](#)
- [Myocardial Infarction](#)
- [Neoplasms](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Peptic Ulcer Hemorrhage](#)
- [Periodontitis](#)
- [Placenta Diseases](#)
- [Pneumoconiosis](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Recurrence](#)
- [Skin Diseases](#)

- [Stomach Ulcer](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)
- [Thromboembolism](#)
- [Thrombophilia](#)
- [Thrombosis](#)
- [Thyroid Neoplasms](#)
- [Vascular Diseases](#)
- [Venous Thrombosis](#)